



Catalog of Products and Services

TruOps Telecom Routing Administration

**The Industry Source for Routing and Rating
Information**

May 2026

Table of Contents

- General Information** _____ 3
- User Profile and Benefits** _____ 5
- How to Use the TRA Product Catalog** _____ 8
 - Product Distribution / Format _____ 8
 - Product Examples / Samples _____ 8
- Products** _____ 9
- LERG Routing Guide** _____ 9
- LERG OnLine** _____ 19
- RouteSelect** _____ 21
- TPM Data Source** _____ 23
- Emergency Notifications (ENs)** _____ 26
- Telemarketing Data Source (TDS)** _____ 27
- Number Range 360 (NR360)** _____ 30
- LIDB Access Routing Guide (LARG)** _____ 33
- Calling Name Access Routing Guide (CNARG)** _____ 34
- Product Ordering / Licenses / Other Services** _____ 35
- Payment Information** _____ 37



General Information

Welcome to the TruOps Telecom Routing Administration

Telecommunications data is essential for service providers, database managers and businesses across industries to optimize operations and drive growth. For communication service providers, critical applications such as call routing, call rating and billing, numbering assignment processes and nearly any application that utilizes TruOps® Telecom Routing Administration's (TRA's) data depend on having access to the accurate, timely and comprehensive data provided. Data is also used by geographical information systems and applications, locator services, revenue assurance processes, financial services, customer relationship management, credit card services, least cost routing processes, call centers, law enforcement, mapping and countless related types of services.

Since 1984, TRA has delivered essential data that supports service providers in maintaining efficient networks and ensuring seamless call completion for customers. The extremely high percentage of call completion and billing accuracy within the areas covered by the North American Numbering Plan (U.S., U.S. Territories, Canada, Bermuda and parts of the Caribbean) are supported by the data that TRA provides. Numerous regulatory bodies, industry guidelines and industry standards cite TRA products as necessary and critical to telecommunications products and services within the NANP. TRA works together with these groups to address completeness, accuracy and consistency in as many areas as possible relative to the data it provides.

Why TRA Data Stands Out

- TRA products contain data obtained “directly from the source” (e.g., service providers, agencies assigning numbering, etc.), a large portion of which is input by service providers themselves.
- Because of the data sources, TRA data accuracy and timeliness are of the highest quality. This data helps to avoid increased operational and financial risks that could occur by using delayed, outdated, or incomplete data provided by other sources. Data quality is a major factor in regard to cost efficient operations.

Benefits of TNS TruOps TRA Data Products

- Save valuable staff time and reduce expenses incurred in compiling, assessing and maintaining data.
- Since the majority of TRA products constitute *data* in standard, easy-to-access formats, as opposed to hard-to-use, involved, self-contained applications, it is easy to manage the integration of this data into specific business applications, internal databases and operational processes.
- Through the enterprise licensing of TRA products, the single source of authoritative data can be used company-wide to meet a myriad of needs. Reduce the time spent on discrepancy resolution internally and other problems that can occur from obtaining similar data from a multitude of sources.
- TRA's Customer Care Center (CCC) and technical staff are available to assist with understanding of the data and in explaining how and why data variations may occur throughout the industry.
- TRA's ongoing interactions with industry service providers, regulators, industry standards groups and other related services and products managed by TNS permits TRA to serve as a conduit to align your needs, questions, etc., with other companies, industry standards and supporting applications, amounting to a win-win situation for all involved.

TRA is proud to serve as your number one source of telecommunications data. This catalog provides an overview of TRA's products and services. Please visit our website at www.tra.tnsi.com, which provides additional information regarding TRA products.

If you have any questions or require further assistance, please contact the TRA Customer Care Center via email at TRA@iconectiv.com or via phone at 866-NPA-NXXS (866-672-6997) or 732-699-6700.

Sincerely,

Telecom Routing Administration (TRA)

User Profile and Benefits

Since inception, TRA products have been utilized by many different types of businesses to meet an increasingly wide variety of needs. While continuing to work within and support its historic focus on the telecommunications industry, TRA is constantly working with its customers, both inside and outside the industry, to develop new approaches to using TRA data and maximizing its benefits.

The following table provides a quick summary of the type of jobs, functions and processes that each product can support, as well as potential benefits to your company. For additional product information, we invite you to review the product details provided in the remainder of the catalog, visit our website at www.trainfo.com, or contact the TRA Customer Care Center.

| TRA Product | Who Might Use the Product | Benefits to Your Company |
|--|---|--|
| LERG™ Routing Guide <ul style="list-style-type: none"> • LERG™ One Day Changes LERG™ Tools: <ul style="list-style-type: none"> • LERG™ OnLine | <ul style="list-style-type: none"> • Engineers who manage how calls are routed and directed • Engineers needing to set up the right network paths to keep calls connected and efficient • Planners/architects needing to prepare for network changes • Those involved with preparing, supporting and maintaining interconnection agreements <p>Companies expanding into the telecommunications industry or a new market that needs reliable insights into existing network infrastructure and local IP partners</p> | <ul style="list-style-type: none"> • Properly route and complete all calls • Avoid lost revenue and maintain customer satisfaction • Get physical routing details to support your interconnection agreements and save your company time and money • Prepare for the 2-3% per month network changes that occur by obtaining planned network change data months in advance • Get Rate Center information used in rating and billing processes • View daily updates of numbering and routing changes using LERG OnLine or LERG One Day Changes |
| RouteSelect | <ul style="list-style-type: none"> • Engineers who manage how calls are routed and directed • Engineers needing to set up the right network paths to keep calls connected and efficient • Planners/architects needing to prepare for network changes • Those involved with establishing, supporting and maintaining interconnection and commercial agreements • Companies entering the telecommunications industry or a new market area needing a recognized source for information on the existing circuit switched network routing options and IP partners in the area | <ul style="list-style-type: none"> • Properly route and complete all calls via various routing options • Support Least-cost routing options • Avoid lost revenue and maintain customer satisfaction • Get physical routing details to support your interconnection and commercial agreements and save your company time and money • Prepare for the 2-3% per month network changes that occur by obtaining planned network change data in advance • View daily updates of changes • Customize data content for online viewing and scheduled downloads |



| TRA Product | Who Might Use the Product | Benefits to Your Company |
|--|--|---|
| TPM™ Data Source | <ul style="list-style-type: none"> • Call rating and billing operations staff • Users needing to verify billing and call detail records | <ul style="list-style-type: none"> • Data to support accurate billing and avoidance of revenue loss • Associate appropriate revenue accounting office (RAO) to NPA NXXs |
| Emergency Notifications (ENs) | <ul style="list-style-type: none"> • Engineers who manage how calls are routed and directed Network planners/architects who need to prepare for coming changes • Call rating and billing operations staff | <ul style="list-style-type: none"> • Stay ahead of disruptions with timely updates on area code additions and network changes, even when announcements come late Supports LERG Routing Guide, RouteSelect, and TPM Data Source products |
| Telemarketing Data Source (TDS) | <ul style="list-style-type: none"> • Call center operations and database engineers • Financial institutions, telemarketers and others seeking to maintain compliance with the TCPA when performing outbound calls • Anyone needing to distinguish wireless numbers from pager or landline numbers | <ul style="list-style-type: none"> • Easy-to-use GUI that allows you to perform individual or bulk queries of number ranges segmented by Line Type, Time Zone, State and Region among other variables • Identify ported telephone numbers and their associated line type with data sourced from the Number Portability Administration Center's (NPAC's) PortData® Comply data • Standard data files that can be integrated with other databases you may use in assessing calls • API capabilities to automate call log verification to confirm the line type of all phone numbers on your customer list |
| Number Range 360 (NR360) formerly NPA NXX Active Code List (NNAACL) and NPA NXX Activity Guide (NNAG) | <ul style="list-style-type: none"> • PBX table maintenance staff • Customer service and outreach groups maintaining databases • Financial institutions others involved in approving financial transactions | <ul style="list-style-type: none"> • Maintain internal operations and processes at peak efficiency with a complete, daily updated listing of all current and future active number ranges within the NANP • Enable targeted call lists by providing up-to-date number ranges to improve overall outbound calling operational efficiency • Confirm the legitimacy of telephone numbers by identifying the status of their associated range and the service type to aid in fraud detection |



| TRA Product | Who Might Use the Product | Benefits to Your Company |
|--|---|---|
| LIDB Access Routing Guide (LARG) | <ul style="list-style-type: none"> • Alternate Billing Service providers and database maintenance staff • Users needing to route Signaling System No. 7 (SS7) queries to Line Information Databases (LIDBs) | <ul style="list-style-type: none"> • Critical source of data to populate Global Title Translation Tables within the Signal Transfer Point (STP) of the network that saves time, increases accuracy and improves performance Reduces misrouted or failed calls for third-party billing, collect calls and calling card calls • Recovers revenues and reduces customer complaints |
| Calling Name Access Routing Guide (CNARG) | <ul style="list-style-type: none"> • Service providers and database maintenance staff who need access to calling name information in order to provide calling party's name to end users | <ul style="list-style-type: none"> • A complete source of data to populate global title translation tables within the STP that will save staff time and money • Increase accuracy of data |



How to Use the TRA Product Catalog

Each product description in this catalog contains the following information: product applications, benefits and examples of data formats. Each product description indicates when the product is produced, its distribution frequency and its distribution formats. On Page [36](#) of this catalog, there is an explanation of TRA Product ordering procedures, Enterprise Licenses and policies.

Note that TRA data products have been developed to support a wide range of users with varying needs. In this regard, some data elements such as NPA NXX block information are an integral, and common, part of several products. In choosing a particular product to meet your needs, you should consider your need for the extent of data being provided in a given product, how the data is provided, the product's production schedule and the product's distribution format choices.

To ensure a smooth process, it is recommended that you contact the TRA Customer Care Center with any questions about a particular product, and/or for assistance in completing the TRA Price and Order Request Forms.

Product Distribution / Format

Unless otherwise noted, all products are issued in their entirety with each issuance. For example, an annual subscription to a product created monthly equates to receiving a full new product each month whose data reflects any changes that occurred since the previous issuance.

The standard method of obtaining TRA products is via download from a secure TRA website. The Emergency Notification product is distributed via email.

Web Download: TRA products can be downloaded from a secure, username/password/IP address protected website maintained by TRA. An account set-up form needs to be filled out and returned to TRA to receive products via this method.

Email: The Emergency Notification product is delivered via email.

Product Examples / Samples

In several product descriptions in this catalog, examples of data in a screen-print or report format illustrate the type of data a product provides. These examples, as well as this catalog in general, are provided to assist in your understanding of the pertinent aspects of a product. Examples should not be considered tutorials, should not be deemed to reflect the most recent information and should not be considered all-inclusive.

NOTE: Some TRA products contain data available in a pre-loaded Microsoft® (MS) Access Database. These pre-loaded MS Access Databases will be eliminated over the next few years; therefore, it is recommended that customers do not implement the use of these MS Access Databases.

Products

LERG Routing Guide

The LERG™ Routing Guide contains current information about the local Public Switched Telephone Network (PSTN) as well as additional information about IP Networks and includes scheduled future activity associated with the networks. Initially designed for the routing of Inter-Local Access and Transport Area calls across geographic regions made by interexchange carriers, the LERG Routing Guide has evolved to provide support for information exchange between all service providers, such as Competitive Local Exchange Carriers (CLECs), wireless providers, Internet Service Providers (ISPs), Voice over Internet Protocol (VoIP) providers, and more. It has grown to serve as a resource for performing network analysis, marketing and demographic analysis and many other uses.

The LERG Routing Guide provides routing details to support interconnection agreements, saving companies time and potential loss of revenue. It supports proper routing and completion of all calls and helps to maintain customer satisfaction. The LERG Routing Guide is available for web download as a set of CSV files (preferred) or fixed formatted data files.

The LERG Routing Guide is a valuable resource for:

- Engineers who manage how calls are routed and directed
- Network planners/architects who need to set up the right network paths to keep calls connected and efficient
- Those involved with preparing, supporting and maintaining interconnection agreements and changes
- Companies expanding into the telecommunications industry or a new market that need reliable insights into existing network infrastructure

A free downloadable sample of LERG Routing Guide as seen in standard issuance that contains older data and a small percentage of the full volume of data, is available for review at <https://tra.tnsi.com/LERG-routing-guide> .

Each issuance of the LERG Routing Guide supersedes all previous issuances. Files are available that indicate records that were added, changed or removed on a month-to-month basis.

The LERG Routing Guide General Information Section is included with each LERG Routing Guide and provides information on:

- Data Glossary (data definitions)
- System Codes (Routing Code 1XX), Service Codes, North American Numbering Plan Universal Central Office Codes (NXXs), and Operator Service Codes
- Signaling System 7 (SS7) Network Codes
- Vertical Service Codes
- Automatic Number Identification Information Indicator (ANI II) Digits Codes
- Also, high level information regarding:

- 900 NXX Codes
- Toll Free (e.g. 800) Codes
- 5XX-NXX Non-geographic Codes
- 6YY Non-geographic Codes (Canada)
- 710 (US Government) NXX Codes

Benefits of LERG Routing Guide:

- Properly route and complete all calls
- Avoid lost revenue and maintain customer satisfaction
- Get physical routing details to support your interconnection agreements and save your company time and money
- Prepare for the 2-3% per month network changes that occur by obtaining planned network change data months in advance
- Get Rate Center information used in rating and billing processes
- View daily updates of numbering and routing changes using LERG™ OnLine or LERG™ One Day Changes

LERG Routing Guide data files provide data regarding:

- Operating Company Numbers, Company Names, Routing Contacts
- Country Code Assignments
- NPA Information (i.e., Area Codes)
- LATA Codes By Region
- Destination Codes (Area Codes / Prefixes) (NPA NXX Thousands-Blocks assignments for the United States and its territories, Canada, Bermuda and 16 Caribbean countries)
- Oddball NXXs (e.g. 911, 976)
- Switching Entity Record detail (e.g. Equipment Type, Latitude and Longitude Coordinates)
- Rate Center details (e.g. Latitude and Longitude Coordinates) and Localities (including counties and postal codes)*
- Switch Homing Arrangements (tandem and other switch-to-switch interconnections)
- Operator Access Tandem Codes (ATCs)
- Location Routing Numbers (LRNs)
- Local Interconnection Regions (Canada)

* *Counties and postal codes currently pertain to only U.S. data*

You may obtain a copy of LERG Routing Guide data file layouts and specifications at no charge by contacting the TRA Customer Care Center.

LERG Routing Guide:

Produced: first workday monthly

Distribution frequency: monthly

Distribution format: web download

The LERG Routing Guide has data provided in the following formats: (1) Comma Separated (CSV) files using pipe delimiters (preferred) and (2) fixed-record ASCII format.

LERG One-Day Changes Process

Subscribers to the monthly LERG Routing Guide have access to the LERG™ One-Day Changes Process at **no additional charge**. Data changes in the underlying databases are analyzed daily to provide files reflecting day-to-day changes. This produces a set of files that denote daily changes in a format consistent with the following subset of LERG Routing Guide files:

- LERG1 (OCN)
- LERG6 (NPA NXX)
- LERG7 (Switch)
- LERG7SHA (Switch Homing)
- LERG12 (Location Routing Numbers (LRNs))

The files provided in this process are in a flat (fixed-record) file format only (CSV format to be offered in the near future). They contain only those records that have undergone a change (added, removed and modified) each calendar day and are not a complete file replacement. Integration of the changes into the LERG is the responsibility of the end user.

The LERG One-Day Changes Process is available free of charge to customers with a monthly LERG Routing Guide Enterprise License.

LERG One Day Process:

Produced: daily (files issued each workday)

Distribution frequency: available to monthly LERG Routing Guide subscribers

Distribution format(s): web download

LERG Routing Guide Examples – Overview

The following pages provide LERG Routing Guide data examples from the LERG Routing Guide and are provided for illustrative purposes only. The examples represent some of the data files in the LERG Routing Guide.

Because NPA-NXX block data is the core element of the LERG Routing Guide, which connects to many other key data points, this series of examples begins with the LERG6 file, which serves as the primary source of NPA-NXX block information.

LERG Routing Guide Example

LERG6 – NPA NXX Block Assignment

LERG6 contains data relative to assigned NPA NXXs. Currently, this amounts to approximately 205,000 assigned NPA NXX records, and over 850,000 assigned numeric blocks within NPA NXXs. In Figure 1 below:

- The phone number prefix 732-699 is active and currently in use. It is assigned to a main carrier, shown as Block A, meaning that carrier holds responsibility for the entire code unless otherwise noted. Thousands-blocks, also known as numeric blocks, within this prefix can be assigned to other carriers labeled 0 through 9 (i.e., a service provider assigned block 4 identifies that Service Provider as the carrier who can assign telephone numbers with the prefix through lines 4000–4999). The prefix 732-699 is classified as an end office code for landline or wireline service, with no special services assigned. It is associated with the Rate Center labeled NEWBRNSWCK in New Jersey, which refers to New Brunswick. This Rate Center determines how calls to and from numbers within the range are billed. The Rate Center area falls within LATA 224, a regional zone, with New Brunswick also identified as the Locality for this prefix. Telephone numbers assigned in 732 699 are dialable by end users (DIND=Y).
- Telephone numbers are subject to being “ported” across carriers (PORT=Y).
- Assignments to carriers for this NPA NXX are not subject to assignments at the Thousands-Block level (TBP=N). Note that if a carrier has retained all 10 blocks from an NPA NXX, the NPA NXX was assigned prior to thousands-block pooling becoming effective and, as is the case in this example, the LERG Routing Guide will only show the A block with a TBP=N. In cases where there have been numeric blocks assigned, both an A block record as well as numeric block record(s) will exist with a TBP value of Y.
- Carriers completing calls to either the end office or to the access tandem should send the full 10-digit telephone number to the terminating switch in both cases (TD-EO=10, TD-AT=10).
- The switch this NPA NXX is native to is identified by the CLLI of PSWYNJPIDS5. The Switch Homing Arrangement (SHA) Indicator of 00 identifies the switch homing applicable to this NPA NXX / switch combination that can be determined from LERG7SHA.
- The NPA NXX has been assigned to Operating Company Number (OCN) 9206 (expanded further on the next page of this example). Data is administered for the LERG Routing Guide by AOCN (i.e. OCN) 9200.

Figure 1 (LERG 6):

| LATA | LATA NAME | STATUS | EFF DATE | NPA | NXX | BLOCK ID | COC TYPE | SSC | DIND | TD-EO | TD-AT |
|------|-----------------|--------|----------|-----|-----|----------|----------|-----|------|-------|-------|
| 224 | NORTH JERSEY NJ | | | 732 | 699 | A | EOC | N | Y | 10 | 10 |

| PORTABLE | AOCN | OCN | LOC NAME | LOC INDEX | LOC STATE | RC ABBRE | RC TYPE | LINE FR | LINE TO | SWITCH | SHA INDICATOR |
|----------|------|------|------------|-----------|-----------|------------|---------|---------|---------|-------------|---------------|
| Y | 9100 | 9206 | NEWBRNSWCK | | NJ | NEWBRNSWCK | | 0000 | 9999 | PSWYNJPIDS5 | 00 |

| TEST LINE # | TEST LINE RESPONSE | 1000 BLK POOL | RC LATA | CREATION DATE | E STATUS DATE | LAST MODIFIED |
|-------------|--------------------|---------------|---------|---------------|---------------|---------------|
| | | N | 224 | 12/22/2004 | 12/29/2004 | 12/29/2004 |

LERG1 – OCN / Company Name / Routing Contact

LERG1 contains data covering more than 17,000 assigned Operating Company Number (OCN) identifiers.

Many LERG Routing Guide data elements, and especially primary data elements such as NPA NXX Blocks and switches, are associated with an OCN. The LERG1 file provides a mapping of this four-character identifier to a specific company name and related company information. The LERG1OCN file (example not shown), includes additional contact information for various organizations, functions and services, for those companies choosing to provide it.

In this example (Figure 2),

- OCN 9206 shows as being assigned to Verizon New Jersey, Inc.
- The OVERALL OCN (a higher level of grouping, should it exist), in this example, is also 9206.
- The Operating Company is listed as a Regional Bell Operating Company (CATEGORY=RBOC). CATEGORY values, based on company, including CLEC, wireless, etc., can be keyed upon to further assess data in the LERG.
- The Routing Contact Information lists the name, title, company name, telephone number and address for the person to call regarding routing questions relative to the LERG Routing Guide (this information has been removed from the example).

Figure 2 (LERG 1):

| OCN # | OCN NAME | ABBRE OCN NAME | OCN STATE | CATEGORY | OVERALL OCN | FILLER1 | FILLER2 | LAST | FIRST | MI | CO NAME SPEC |
|-------|-------------------------|--------------------|-----------|----------|-------------|---------|---------|------|-------|----|------------------------|
| 9206 | VERIZON NEW JERSEY INC. | VERIZON NEW JERSEY | NJ | RBOC | 9206 | | | | | | VERIZON COMMUNICATIONS |

| TITLE | ADDRESS1 | ADDRESS2 | FLOOR | RM | CITY | STATE | ZIP | PHONE | TARGET_OCN | OVERALL_TARGET_OCN | RLEC | SILEC |
|-------|----------|----------|-------|----|------|-------|-----|-------|------------|--------------------|------|-------|
| | | | | | | | | | | | | |

LERG7 – Switching Entities

LERG7 contains high level (not homing) data regarding approximately 50,000 TNS TruOps® Common Language® CLLI™ codes used in the LERG. Homing information is contained in LERG7SHA.

In Figure 3,

- Switch PSWYNJPIDS5 is physically located within LATA 224 in Northern New Jersey.
- Its Common Language equipment type designation, 5EH, is explained in a separately available document (BR 751-100-460, CL-DATA-SSC) available at www.commonlanguage.com.
- Latitude and Longitude Coordinates of the switch are provided (but noted in the example as 12345). Switch V&H values are often used in “access” pricing.
- PSWYNJPIDS5 has International Direct Distance Dialing (IDDD) capability.
- It is located at (street address is blanked out in the example) in Piscataway, NJ.
- The switch is owned by OCN 9206, which we previously noted as Verizon New Jersey, Inc.
- Data is administered for the LERG Routing Guide by AOCN 9200 (i.e. Verizon).
- The Switching Entity-Office Functionalities (SOF) noted by the data provider are End Office, Host, E.164, Local Number Portability (LNP) capable, 800 SSP support, serves as a CCS AC OFC, has CSP functionality and is provisioned to support Intra LATA Presubscription. These functionalities are explained to a greater degree in the LERG Routing Guide Glossary file.

Figure 3 (LERG 7):

| LATA | LATA NAME | STATUS | EFF DATE | SWITCH | EQP TYPE | AOCN | FILLER1 | OCN | V-COORD | H-COORD | IDDD | SW STREET | SW CITY | SW STATE | SW ZIP | PT CODE FLAG | CL 4/5 SW |
|------|-----------------|--------|----------|-------------|----------|------|---------|------|---------|---------|------|-------------|------------|----------|--------|--------------|-----------|
| 224 | NORTH JERSEY NJ | | | PSWYNJPIDS5 | 5EH | 9100 | | 9206 | 05080 | 01444 | Y | 4 SKILES AV | PISCATAWAY | NJ | 08854 | P | |

| SOF 1-EO | SOF 2-HOST | SOF 3-REM | SOF 4-DA | SOF 5-4/5 | SOF 6-WIRELESS | SOF 12-FG B TDM | SOF 13-FG C TDM | SOF 14-FG D TDM | SOF 15-OS TDM | SOF 16-INT OFC | SOF 17-DA TDM | SOF 18-911 TDM | SOF 20-LOCAL TDM | SOF 21-INTRA TDM | SOF 22-CS TDM | SOF 23-BCR5 | SOF 24-BCR6 | SOF 25-PRI 64 | SOF 26-ISDN MULT | SOF 27-ISDN FS | SOF 34-STP | SOF 35-CCS AC | SOF 37-800 SSP | SOF 38-LNP | SOF 42-CIP | SOF 43-CSP |
|----------|------------|-----------|----------|-----------|----------------|-----------------|-----------------|-----------------|---------------|----------------|---------------|----------------|------------------|------------------|---------------|-------------|-------------|---------------|------------------|----------------|------------|---------------|----------------|------------|------------|------------|
| X | X | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | X | X | X | X | X |

| SOF 45-SW 56 | SOF 46-FGD 56 | SOF 47-FGD 64 | SOF 48-INT PRSUB | SOF 49-CALL AGENT | SOF 50-TRUNK GATEWAY | SOF 51-ACCESS GATEWAY | CREATION DATE | E STATUS DATE | LAST MODIFIED | CLN INDICATOR | BILL_TO_RAO | SEND_TO_RAO |
|--------------|---------------|---------------|------------------|-------------------|----------------------|-----------------------|---------------|---------------|---------------|---------------|-------------|-------------|
| - | - | - | X | - | - | - | 8/5/1990 | 1/1/2000 | 1/1/2000 | A | | |

LERG7SHA – Switch Homing Arrangements

LERG7SHA contains information about switch-to-switch interrelationships (e.g. homing). More than 60,000 homing relationships exist in the LERG. In the example, the switch PSWYNJPIDS5 with a Switch Homing Arrangement (SHA) Indicator of 00 (this is the switch and SHA Indicator that appeared for NPA NXX BLOCK 732 699 A in LERG6) is noted. The record shows several different intermediary tandem switches as well as an STP relationship relative to PSWYNJPIDS5 00. The originating and terminating tandems are the same for all the same functionalities. This is often, but not always, the case. Figure 4 indicates that traffic terminating to PSWYNJPIDS5 may be routed for Feature Group B as well as Feature Group D to NBWKNJNB05T; to NBWKNJNB04T in the case of local and intraLATA traffic; and to ELZBNJEL02T for operator services.

Figure 4 (LERG7SHA):

| LATA | LATA NAME | STATUS | EFF DATE | SWITCH | SHA INDICATOR |
|------|-----------------|--------|----------|-------------|---------------|
| 224 | NORTH JERSEY NJ | | | PSWYNJPIDS5 | 00 |

| H-ORG B TDM | H-ORG C TDM | H-ORG D TDM | H-ORG OS TDM | H-ORG B INT TDM | H-ORG C INT TDM | H-ORG D INT TDM | H-ORG LOCAL TDM | H-ORG INTRA-L TDM | H-ORG CIR SW TDM |
|-------------|-------------|-------------|--------------|-----------------|-----------------|-----------------|-----------------|-------------------|------------------|
| NBWKNJNB05T | | NBWKNJNB05T | ELZBNJEL02T | | | | NBWKNJNB04T | NBWKNJNB04T | |

| H-TRM B TDM | H-TRM C TDM | H-TRM D TDM | H-TRM OS TDM | H-TRM B INT TDM | H-TRM C INT TDM | H-TRM D INT TDM | H-TRM LOCAL TDM | H-TRM INTRA-L TDM | H-TRM CIR SW TDM |
|-------------|-------------|-------------|--------------|-----------------|-----------------|-----------------|-----------------|-------------------|------------------|
| NBWKNJNB05T | | NBWKNJNB05T | ELZBNJEL02T | | | | NBWKNJNB04T | NBWKNJNB04T | |

| HOST | STP1 | STP2 | ORIG 800 SSP | ISDN FOREIGN OFF | ACTUAL SW ID | CALL AGENT | TRUNK GATEWAY | OCN | AOCN | CREATION DATE | E STATUS DATE | LAST MODIFIED |
|------|-------------|-------------|--------------|------------------|--------------|------------|---------------|------|------|---------------|---------------|---------------|
| | NBWKNJNB01W | NWRKNJ0201W | | | | | | 9200 | 9100 | 8/5/1990 | 1/1/2000 | 8/19/2002 |

LERG8 files – Rate Center and Locality Information

LERG8, LERG8LOC and LERG8PST contain information covering more than 22,000 Rate Centers within the NANP area, approximately 65,000 U.S. localities (e.g. towns) within those Rate Centers, each locality's county and associated USPS postal code(s). In Figure 5, NPA NXX BLOCK 732 699 A rates to the New Brunswick, NJ Rate Center which has the noted Rate Center Latitude and Longitude Coordinates and the NPAs that can be associated with it.

Figure 5 (LERG 8):

| LATA | LATA NAME | STATUS | EFF DATE | RC STATE | RC ABBR NAME | RC TYPE | RC FULL NAME | MAJOR-V | MAJOR-H | MINOR-V | MINOR-H |
|------|-----------------|--------|----------|----------|--------------|---------|---------------|---------|---------|---------|---------|
| 224 | NORTH JERSEY NJ | | | NJ | NEWBRNSWCK | | NEW BRUNSWICK | 05085 | 01434 | | |

| NPA1 | NPA2 | NPA3 | NPA4 | NPA5 | NPA6 | NPA7 | NPA8 | NPA9 | NPA10 | MTA1 | MTA2 | SPLIT INDICATOR | EMB OVERLAY NPA1 | EMB OVERLAY NPA2 | EMB OVERLAY NPA3 | EMB OVERLAY NPA4 |
|------|------|------|------|------|------|------|------|------|-------|------|------|-----------------|------------------|------------------|------------------|------------------|
| 732 | 848 | | | | | | | | | 01 | | N | 908 | | | |

LERG12 – Location Routing Numbers

LERG12 contains information about Location Routing Numbers (LRNs). LRNs are used in regard to Local Number Portability (LNP) call processing within the NANP. Approximately 45,000 LRNs are in the LERG. LRNs are similar to NPA NXXs in format and map to a switch for routing purposes. The NPA NXX 732 699 used in these LERG Routing Guide examples is not the basis for an LRN, nor does it need to be. However, the LERG12 file indicates that the switch PSWYNJPIDS5, used in these examples, has 7324579999 as the LRN. In Figure 6, this is the sole LRN associated with this switch. Therefore, any numbers “ported-in” to this switch would use this LRN for local number portability routing.

Figure 6 (LERG12):

| LATA | LATA NAME | STATUS | EFF DATE | LRN | SWITCH | AOCN | OCN | RC ABBRE | RC TYPE | RC STATE | SHA INDICATOR |
|------|-----------------|--------|----------|------------|-------------|------|------|----------|---------|----------|---------------|
| 224 | NORTH JERSEY NJ | | | 7324579999 | PSWYNJPIDS5 | 9100 | 9206 | | | | 00 |

LERG OnLine

LERG™ OnLine is a separate offer from the LERG Routing Guide. It provides web access to view LERG data and download query results. This is an easy-to-use web-based GUI application available only to LERG Routing Guide Enterprise Licensees at a small increment above the LERG license fee. LERG OnLine is provided on an enterprise basis for the benefit of everyone at the subscribing company.

LERG OnLine is a means to access up-to-date LERG Routing Guide data and isolate specific information that a user may be interested in obtaining for online review and/or downstream processing. LERG OnLine provides these capabilities to LERG Routing Guide Enterprise Licensees without the need to expend time, effort and expense to develop and maintain local processes; purchase and/or use third party software; or expend unnecessary manual efforts to obtain data from the LERG.

LERG OnLine data is updated daily, it is not just a monthly snapshot of the data. It provides the ability to access updated LERG Routing Guide data without needing to develop processes to incorporate LERG One-Day Change Process data with the monthly LERG.

Data in LERG Online is essentially the LERG Routing Guide, although specific terminology may vary. Depicted below is the LERG OnLine welcome screen. The next page displays a basic query (Figure 8) and results (Figure 9).

The LERG Routing Guide is a valuable resource for:

- Engineers who manage how calls are routed and directed
- Network planners/architects who need to set up the right network paths to keep calls connected and efficient
- Those involved with preparing, supporting and maintaining interconnection agreements and changes
- Companies expanding into the telecommunications industry or a new market that need reliable insights into existing network infrastructure

Benefits of LERG OnLine:

- Properly Route and Complete all calls.
- Get Rate Center information used in rating and billing.
- View daily updates of numbering and routing changes.


LERG OnLine:

Produced: updated every night

Distribution frequency: daily access

Distribution format(s): web access

Figure 7:



LERG OnLine- Example of Query

The following LERG OnLine query screen is used to obtain NPA NXX Block data information. Enter selection criteria into one or more of the data entry boxes. Use of wildcards, listing of values, etc. can also be used as selection criteria. The results screen below shows all records that pertain to NPA NXX 732 699.

Figure 8:

The screenshot shows the LERG OnLine interface. At the top, there is a navigation bar with 'iconectiv' logo and links for 'Home', 'LERG Elements', and 'Custom Reports'. On the right, there are links for 'Help', 'Contact Us', and 'Logout'. Below the navigation bar, there is a menu of LERG elements: LERG6, LERG17, LERG8, LERG8LOC, LERG8LIR, LERG7, LERG7SHA, LERG12, LERG16, LERG1, LERG3, LERG5, LERG2, and LERG4. The 'LERG6' element is selected. Below the menu, there are two tabs: 'Query' (active) and 'Reports'. The main content area is titled 'LERG6' and contains the following text: 'LERG6 - NPA NXX Block Assignments, LERG6ATC - Operator Services ATC Data, LERG6ODD - Oddball NXX Codes'. Below this text, there are several data entry fields: NPA (732), NXX (699), Block, Status, Eff. Date, OCN, AOCN (with a dropdown menu), Switch, SHA Ind., SW LATA, Locality, State/Prov, Rate Center, RC LATA, COC Type, SSC, TBP Ind., Portable Ind., Creation Date, Activity Code, Activity Date, and Current(C) / Future views(F). At the bottom of the form, there are three buttons: 'Submit', 'Clear', and 'Download Results as CSV'.

Figure 9:

The screenshot shows the results screen for the LERG6 query. At the top, it says 'Total Results Found: 1'. Below this, there is a table with the following columns: ID, NPA, NXX, BL, S, Eff. Date, OCN, AOCN, Switch, SHA, SWL, Locality, LI, ST/PV, Rate Center, RCL, COC, SSC, TBP, P, DIND, EO, AT, TL, TLR, CRDATE, ESDATE, LMDATE, AC, ADATE, Operator Service (OS) Codes (OS Code, OS Name). The table contains one row of data: 1, 732, 699, A, , 9206, 9100, PSWYN/PID55, 00, 224, NEWBRNSHWCK, --, NJ, NEWBRNSHWCK, 224, EOC, N, N, Y, Y, 10, 10, 12/22/04, 12/29/04, 12/29/04. Below the table, there is a pagination control showing 'Showing 1 to 1 rows' and a dropdown menu set to '10'. At the bottom of the screen, there is a copyright notice: '© 2024 iconectiv, LLC. All rights reserved.' and a link to 'Privacy Policy | Legal Policy'.

| ID | NPA | NXX | BL | S | Eff. Date | OCN | AOCN | Switch | SHA | SWL | Locality | LI | ST/PV | Rate Center | RCL | COC | SSC | TBP | P | DIND | EO | AT | TL | TLR | CRDATE | ESDATE | LMDATE | AC | ADATE | Operator Service (OS) Codes OS Code | OS Name |
|----|-----|-----|----|---|-----------|------|------|-------------|-----|-----|-------------|----|-------|-------------|-----|-----|-----|-----|---|------|----|----|----|-----|----------|----------|----------|----|-------|--|---------|
| 1 | 732 | 699 | A | | | 9206 | 9100 | PSWYN/PID55 | 00 | 224 | NEWBRNSHWCK | -- | NJ | NEWBRNSHWCK | 224 | EOC | N | N | Y | Y | 10 | 10 | | | 12/22/04 | 12/29/04 | 12/29/04 | | | | |

RouteSelect

RouteSelect is a comprehensive routing guide containing current information about the local Public Switched Telephone Network (PSTN) as well as additional information about IP Networks. It includes current routing details and outlines planned updates to the network. RouteSelect provides multiple routing options per Central Office (CO) Code and/or Location Routing Number (LRN). This allows communications service providers (CSPs) to identify more than one routing option available via one or more providers in a given service area (i.e., CO Code, LRN, Rate Center), providing information to negotiate agreements for least cost routing, disaster recovery, network redundancy, etc.

RouteSelect helps CSPs identify routing options, making it easier for them to establish interconnection and commercial agreements to move traffic and manage costs. By providing clear routing information, it saves time, cuts costs and helps avoid loss of revenue. It also helps ensure that calls go through correctly, which helps maintain customer satisfaction.

It's updated daily, providing users with the most current routing information, helping them make more informed decisions.

With customizable search filters, users can quickly find what they need, view results online or download the data through an API, streamlining their workflow and saving time.

RouteSelect is a valuable resource for:

- Engineers who manage how calls are routed and directed
- Network planners/architects who need to prepare for future changes
- Those involved with establishing, supporting and maintaining interconnection and commercial agreements
- Companies entering the telecommunications industry or a new market area who need a trusted source of information on the existing circuit switched network elements in the area and the various routing options available

Benefits of RouteSelect:

- Properly route and complete all calls via various routing options
- Support Least-cost routing options
- Avoid lost revenue and maintain customer satisfaction
- Get physical routing details to support your interconnection and commercial agreements and save your company time and money
- Prepare for the 2-3% per month network changes that occur by obtaining planned network change data in advance
- View daily updates of changes
- Customize data content for online viewing and scheduled downloads

Depicted below is the RouteSelect welcome screen (Figure 10) and screenshots of a basic query and results (Figure 11).

Figure 10 (Welcome Screen):

Figure 11 (Basic Query/Results):

| ID | OCN | Abbr Name | Full Name | ST/PV | Category | First | Last | Company | City | ST/PV | Phone | ADATE | Function | Phone | Info | RLEC | SILE |
|----|------|----------------------|--------------------------------|-------|----------|-------|------|-----------|-------------|-------|--------------|----------|----------------------|------------|-------------------|------|------|
| 1 | TRA1 | TELECOM ROUTING ADMN | TELECOM ROUTING ADMINISTRATION | NJ | GENERAL | ADMIN | TRA | ICONECTIV | BRIDGEWATER | NJ | 732-699-6700 | 07/01/25 | SERVICE OF SUBPOENAS | 8666726997 | TRA@ICONECTIV.COM | | |

RouteSelect:

Produced: updated every night
 Distribution frequency: daily access
 Distribution format(s): web access



TPM Data Source

The TPM™ Data Source supports various systems used in rating and billing telephone calls and can be used as a source for certain data related to NPA NXXs.

TPM Data Source is a valuable resource for:

- Those who need to manage NPA NXX related data.
- Call rating and billing operations staff who need to associate the appropriate Revenue Accounting Office (RAO) to NPA NXXs.
- Those who specifically have a need for V&H and Rate Center information associated with NPA NXXs.
- Users needing to verify billing and call detail records

Benefits of TPM Data Source:

- Data to support accurate billing and avoidance of revenue loss
- Associate appropriate revenue accounting office (RAO) to NPA NXXs

The TPM Data Source contains data for the entire NANP and Mexico.

Data elements include:

| | |
|--|---|
| Numbering Plan Area (Area Code) | Revenue Accounting Office (RAO) (Bill to/Send to) |
| NXX Code (exchange, prefix - with block) | Portability Indicator |
| Operating Company Number | Thousands-Block Pooling Indicator |
| IDDD Capability Indicator | NXX Type (wireline, paging, cellular, etc.) |
| Vertical (V) Coordinate | Time Zone |
| Horizontal (H) Coordinate | Daylight Savings Time Indicator |
| Rate Center | Company Type |
| Place Name | Special Calling Cards (RAO based) |
| State, Province, Country | International data - Mexico |

A free downloadable sample of the TPM Data Source, the same you will receive in a standard issuance but containing slightly older data and a relatively small percentage of the full volume of data, is available for your review at <https://tra.tnsi.com/TPM-data-source>.

Each issuance of the TPM Data Source is a complete replacement of the previous issuance. Indicators exist on a month-to-month basis that flag those records that have been added, changed or are scheduled for deletion. You may obtain a copy of TPM Data Source data file layouts and specifications at no charge by contacting the TRA Customer Care Center to receive them by email.

TPM Data Source:

Produced: mid-month (product issuances are dated the 15th of the month following creation)

Distribution frequency: monthly

Distribution format(s): web download

The TPM Data Source has data provided in fixed-record ASCII format. CSV file format will be provided in the near future.

TPM Data Source Example

Figure 12, the following screen shot from the TPM, is provided for illustrative purposes only. This example represents some of the data files in the TPM Data Source.

Since NPA NXX data is a primary data element in the TPM Data Source, Figure 12 below provides information relative to NPA NXX 732 699.

Figure 12:

| NPA | NXX | BlockID | Range | NXXTYPE | Effdate_LastChg | Chg Code | OCN | AOCN | Co Code | Co Type | Bill to Rao | Send to Rao | Major V | Major H | LATA | LATA Sub |
|-----|-----|---------|----------|---------|-----------------|----------|------|------|---------|---------|-------------|-------------|---------|---------|------|----------|
| 732 | 699 | A | 00009999 | 00 | 12/29/2004 | K | 9206 | 9100 | 00 | 0 | 094 | 000 | 05085 | 01434 | 224 | 00 |

| RC Name | RC Type | Place Name | State | TZONE | D SAVE IND | PORT IND | TBP IND | IDDD | DIND | Oth Line RS | Point ID | Eff Date Assign |
|------------|---------|------------|-------|-------|------------|----------|---------|------|------|-------------|----------|-----------------|
| NEWBRNSWCK | | NEWBRNSWCK | NJ | 7 | 1 | 1 | 0 | 1 | 1 | 00 | 0 | 12/29/2004 |

Emergency Notifications (ENs)

Emergency Notifications report lastminute changes that are not included in the current month's LERG Routing Guide and/or TPM Data Source products. Emergency Notifications are published at least once a week.

Emergency Notifications is a valuable resource for

- Engineers who manage how calls are routed and directed
- Network planners/architects to prepare for coming changes
- Call rating and billing operations staff
- Recipients of the LERG Routing Guide and/or TPM Data Source that need to be aware of last-minute NXX announcements (new code openings)

Benefits of Emergency Notifications:

- Stay ahead of disruptions with timely updates on area code additions and network changes, even when announcements come late
- Supports LERG Routing Guide, RouteSelect, and TPM Data Source products

Emergency Notifications report new NXXs that are effective in less than 45 days from the date they are entered into the underlying TRA database by the service provider or its agent. Industry lead time for an NXX opening is a minimum of 45 days from the data entry date. However, for various reasons, exceptions may sometimes be necessary. Emergency Notifications may also provide information of general interest such as reported blocked calls, short notice homing changes and Rate Center changes. High level information regarding Area Code Splits (dates and test numbers) are provided and summarized once a month.

Immediate Emergency Notifications are the same as Emergency Notifications. These are immediately issued anytime a new NXX is in effect less than 15 days from the effective date. Emergency Notification subscribers receive the Immediate Emergency Notification service at no extra charge. Emergency Notifications are available by email only. Note that the EN/IEN service does not provide indication of late code openings relative to NPA NXX block assignments.

Emergency Notifications:

Produced: Each Tuesday and as may be needed otherwise

Distribution frequency: Each Tuesday and as may be needed otherwise

Distribution format(s): email

Telemarketing Data Source (TDS)

Efficient and compliant telephone outreach is vital for businesses, but challenges arise from changing contact data, evolving regulations and potential fines. Without a reliable source of telephone number information, companies risk operational inefficiency and violating the Telephone Consumer Protection Act (TCPA).

TRA Telemarketing Data Source (TDS) is valuable data for call center operations teams looking to be more efficient and maintain compliance with the TCPA by verifying valid telephone numbers, processing customer contact information or suppressing wireless or pager numbers from a database application.

Using a web-based GUI with the flexibility to extract the data provided relative to NPA NXX (area code, exchange) and Thousands-Block assignments, companies can access data that fits their specific business needs. TDS data enables companies to determine valid area code exchange combinations, Time Zone and Daylight Savings Indicators are also provided by NPA NXX to reduce errors of calling during TCPA prohibited hours of 9PM to 8AM.

TRA TDS also provides insights into whether a telephone number has recently been ported from wireline to wireless or vice-versa and associated line type changes at both the NPA NXX and individual ten-digit telephone number levels. TDS data comes directly from the Number Portability Administration Center (NPAC), the country's only authoritative source of this information.

The telephone number data within TRA TDS includes those that are active within the NANP area (US, US Territories, Canada and parts of the Caribbean). The recently ported ten-digit telephone numbers are those that are active and assigned for use within the United States.

The intuitive web-based GUI enables seamless telephone number data management as well as custom and automated reports that can be extracted via API integration. Its ability to ensure compliant, cost-effective and efficient operations makes TRA TDS the premier trusted solution for call center needs.

Figure 13 below depicts Single Query (one record) and Figure 14 shows Bulk Query (many records) selection screens. The output, based upon selection criteria, can be downloaded in CSV file formats for Single Queries, or in pipe-delimited flat files for Bulk Queries. The standard files available for web download are in ASCII text data file formats that can then be directly viewed or integrated into local databases as business needs may dictate.

Telemarketing Data Source is a valuable resource for:

- Call center operations and database engineers
- Financial institutions, telemarketers and others seeking to maintain compliance with the TCPA when performing outbound calls
- Anyone needing to distinguish wireless numbers from pager or landline numbers

Benefits of Telemarketing Data Source:

- Easy-to-use GUI that allows you to perform individual or bulk queries of number ranges segmented by Line Type, Time Zone, State and Region among other variables
- Identify ported telephone numbers and their associated line type with data sourced from the Number Portability Administration Center's (NPAC's) PortData® Comply data
- Standard data files that can be integrated with other databases you may use in assessing calls
- API capabilities to automate call log verification to confirm the line type of all phone numbers on your customer list

Telemarketing Data Source:

Produced: daily Distribution frequency: daily

Distribution format(s): web access



Figure 13:

The screenshot shows the 'Query' page of the iconectiv TDS application. At the top, there are navigation links for 'Home' and 'TDS', and user options for 'Help', 'Contact', and 'Logout'. Below the navigation is a menu with 'Query', 'Bulk Query', 'Report', and 'Download'. The search area contains two main input groups: one for 'Area Code (NPA)', 'Prefix (NXX)', and 'Block' (with an 'OR' separator), and another for 'Telephone Number (TN)'. A second row of filters includes 'Line Type', 'Mixed Use', 'Ported', 'State', 'Region' (dropdown), and 'Time Zone' (dropdown). Action buttons for 'Submit', 'Clear', and 'Download Results as CSV' are present. Below the filters, it states 'Total Results Found: 0'. A table header lists columns: ID, Area Code, Prefix, Block, TN, Line Type, Mixed Use, Ported, State, Region, Time Zone, DST, COC Type, and SSC. The table body contains the text 'No data to display'. The footer includes the iconectiv logo, copyright notice '© 2025 iconectiv, LLC. All rights reserved', and links for 'Privacy Policy' and 'Legal Policy'.

Figure 14:

The screenshot shows the 'Create / Update Query' configuration page in the iconectiv TDS application. It features several sections for configuring a query: 'Query Name*' and 'Report Name' input fields; a 'Select Fields to include in the report' section with checkboxes for Area Code (NPA), Prefix (NXX), Block, Telephone Number (TN), Line Type, Mixed Use, State, Region, Time Zone, DST, COC Type, and SSC; a 'Filter Criteria' section with dropdown menus for Area Code (NPA), Prefix (NXX), Block, Telephone Number (TN), Line Type, Mixed Use, State, Region, Time Zone, DST, and COC Type, plus an input for SSC; a 'Schedule' section with radio buttons for 'None', 'Daily', 'Monthly' (with a 'Day of Month' input), and 'Weekly' (with checkboxes for Monday through Friday); and an 'Other' section with checkboxes for 'Email Report', 'Include Header Row', and 'Include Footer Row'. Action buttons include 'Add New Query', 'Save Changes to Query', and 'Clear'. Below these are sections for 'Saved Queries' and 'Saved Reports', each with a table listing query details and actions. The footer includes the iconectiv logo, copyright notice '© 2025 iconectiv, LLC. All rights reserved', and links for 'Privacy Policy' and 'Legal Policy'.

Number Range 360 (formerly NNACL & NNAG)

Number Range 360 is a comprehensive database that helps Communication Service Providers (CSPs) operate at peak efficiency. The information delivers a complete, accurate and unified view of North American Numbering Plan (NANP) resources, including all active and future-effective number ranges. The numbering data contains the Numbering Plan Area (NPA) codes, Central Office/Exchange (NXX) codes (prefix) and assigned thousands-blocks records. It also provides visibility into upcoming new number range assignments, modifications, and disconnects of number block ranges, enabling CSPs to proactively manage numbering resources. This same number range intelligence also supports enterprises by validating assigned and active number ranges and information to strengthen fraud mitigation efforts and improve outbound contact and operational efficiency. By consolidating this critical number range information, Number Range 360 supports streamlined internal operations, optimized processes, and more reliable database management.

There are more than 250,000 active (in service) Central Office (CO) Code records and over 1.3 million assigned thousands-blocks. Number Range 360 lists all up-to-date number range assignments that are active and future-effective. In the NANP, number ranges are primarily assigned in thousands-block ranges. When this type of assignment occurs, Number Range 360 data includes the assigned CSP/Operating Company Number (OCN), the type of service that the range has been dedicated to (e.g., wireline, wireless), along with the associated rate center and the corresponding rate center state/province/country.

Figure 15 (Query/Results):

NPA NXX Block Search
OCN Search
Download

Query
Reports

NPA NXX Block Active and Future Data
Search active and future NPA NXX Block level code data

| | | | | |
|---------|-------------|------------|---------------|----------|
| NPA | NXX | Block | Status | Eff Date |
| 201 | 200 | 0,1 | | |
| OCN | OCN Name | COC Type | SSC | Switch |
| SW LATA | Rate Center | State/Prov | Portable Ind. | |

Submit
Clear
Download Results as CSV

Total Results Found: 2

| ID | NPA | NXX | Block | Status | Eff Date | OCN | OCN Name | COC Type | SSC | Switch | SW LATA | Rate Center | ST/PV | Portable Ind. |
|----|-----|-----|-------|--------|----------|------|--------------------|----------|-----|-------------|---------|-------------|-------|---------------|
| 1 | 201 | 200 | 0 | | | 9206 | VERIZON NEW JERSEY | EOC | N | JRCYNJBRD55 | 224 | JERSEY CITY | NJ | Y |
| 2 | 201 | 200 | 1 | | | 9206 | VERIZON NEW JERSEY | EOC | N | JRCYNJBRD55 | 224 | JERSEY CITY | NJ | Y |

Showing 1 to 2 rows
<<
<
1
>
>>
10

Number Range 360 is a web-based platform that provides full access to number range data through a GUI and features an API to automate data extraction. Customers can search, filter and generate customizable reports or scheduled outputs, with query results delivered as CSV files and custom reports available as fixed-width ASCII flat text files for offline use or system integration. A general information section also helps users understand the structure and meaning of the data in greater detail. In addition to number range data, users can also easily translate OCNs to their corresponding CSP name, as officially registered with the National Exchange Carrier Association (NECA).

Figure 16 (Report):

The screenshot displays the 'Number Range 360' web application interface. At the top, there is a header with the TNS logo, the title 'Number Range 360', and navigation links for 'Home' and 'Menu'. On the right side of the header, there are links for 'Help', 'Contact Us', and 'Logout'. Below the header, there is a main navigation bar with 'NPA NXX Block Search', 'OCN Search', and 'Download' options. The main content area is divided into two tabs: 'Query' and 'Reports', with 'Reports' currently selected. The 'Reports' section is titled 'Create / Update Query' and contains several form fields and sections:

- Query Name*** and **Report Name** input fields.
- Select Fields to include in the report:** A grid of checkboxes for various fields: NPA, OCN Name, State/Prov, NXX, COC Type, Portable Ind., Block, SSC, Status, Switch, Eff Date, SW LATA, OCN, and Rate Center.
- Filter Criteria:** A grid of input fields for filtering data based on NPA, OCN, SW LATA, NXX, OCN Name, Rate Center, Block, COC Type, State/Prov, Status, SSC, and Portable Ind.
- Date Criteria:** A section with a question mark icon, containing input fields for 'Eff Date', 'In Effect as of', and 'Activity Date'.
- Schedule:** Radio buttons for 'None', 'Daily', 'Monthly', 'Weekly', and checkboxes for 'Monday', 'Tuesday', 'Wednesday', 'Thursday', and 'Friday'. A 'Day of Month' input field is also present.
- Other:** Checkboxes for 'Email Report', 'Include Header Row', and 'Include Footer Row'.
- Buttons for 'Add New Query', 'Save Changes to Query', and 'Clear'.
- Saved Queries:** A table with columns: Q ID, Query Name, Report Name, Schedule, Date Created, Last Ran, Edit, Delete, and Run.
- Saved Reports:** A table with columns: R ID, Report Name, Query Name, Schedule, Request Date, Date Created, File Name, Delete, and Download. A note next to it says 'Refer to user manual for information to automate download using API.'

Number Range 360 also includes a portability indicator that shows that at least one line number in the number range (NPA NXX BLOCK) may be ported. This is critically important since CSPs are regulated in the United States by the Federal Communications Commission (FCC) and/or individual state regulatory commissions, and in Canada by the Canadian Radio-television and Telecommunications Commission (CRTC), to participate in telephone number portability. Please note that Number Range 360 does not provide line-level data, subscriber identification or the assigned OCN for a ported telephone number. For information on the current OCN of a number range or ported telephone number, CSPs can consult with the Number Portability Administration Center (NPAC) and enterprises can reference TRA Telemarketing Data Source (TDS) to identify which specific telephone numbers have been ported from particular thousands-block ranges along with the associated line type (i.e., landline, wireless).

The Number Range 360 activity view includes telephone number range data associated with future-effective activity reported by CSPs (covering upcoming months), as well as last-minute changes made in the prior period. The primary activity data includes an activity code associated with each telephone number range and its data (E = establish, M = modify, D = disconnect), plus the target effective date for that activity.

Number Range 360 is a valuable resource for:

- Communications Service Providers
 - Incumbent Local Exchange Carriers (ILEC)
 - Competitive Local Exchange Carriers (CLEC)
 - Mobile Network Operators (MNO)
 - Mobile Virtual Network Operators (MVNO)
 - Internet Protocol Enabled Services (IPES)
- Enterprise Organizations
 - Financial Services
 - Contact Centers
 - Fraud Protection Services
 - Healthcare Providers
 - Government Agencies

Benefits of Number Range 360:

- Maintain internal operations and processes at peak efficiency with a complete, daily updated listing of all number ranges within the NANP
- Prepare for future-effective activity changes in the number range data with daily updates that offer visibility into additions, changes and disconnects across the NANP, including last-minute updates
- Access to thousands-block-level detail and attributes (OCN, service type, rate center, state/province/country, portability indicator), plus the ability to translate the numeric OCN to its registered CSP name.
- Customize reports, filters and automated delivery schedules through GUI and API integration, making the data configurable to individual needs
- Confirm the legitimacy of telephone numbers by identifying the status of their associated range, assigned CSP and service type to aid in fraud detection
- Enable targeted call lists by providing up-to-date telephone number ranges, ensuring outbound calls reach active numbers to improve overall operational efficiency

Number Range 360:

Updated: Daily

Distribution frequency: Customizable and on-demand

Distribution format(s): Web access

LIDB Access Routing Guide (LARG)

LIDB Access Routing Guide (LARG) serves as a centralized resource for routing information related to the Line Information Database (LIDB). The LIDB stores subscriber data used to support services like calling cards, collect calls and bill-to-third-party calls, also known as Alternate Billing Services.

The LARG provides the necessary data to administer and maintain Global Title Translation (GTT) tables within a Signal Transfer Point (STP): the telecom "traffic controller" that routes signaling messages across the network. These GTT tables help ensure accurate routing of queries to the correct data sources.

The guide also identifies the responsible Signaling Network Control Center (SNCC), the group managing signaling operations and network reliability, the appropriate LIDB provider the inter-network route effective date and the necessary capability code or pseudo point code for routing setup.

The LARG follows a format similar to the Calling Name Access Routing Guide (CNARG), which supports routing of queries to database systems that return Caller ID name information (Calling Name). A text file that defines data fields, provides contact information, etc., is provided with each issue.

The LARG is a valuable resource for:

- Alternate billing service providers
- Database maintenance staff
- Users needing to route Signaling System No. 7 (SS7) queries to Line Information Databases (LIDBs)

Benefits of the LARG:

- Increasing accuracy of queries
- Improving GTT performance
- Critical source of data to populate Global Title Translation Tables within the Signal Transfer Point (STP) of the network that saves time, increases accuracy and improves performance Reduces misrouted or failed calls for third-party billing, collect calls and calling card calls
- Recovers revenues and reduces customer complaints

LIDB Access Routing Guide:

Produced: first workday monthly

Distribution frequency: monthly

Distribution format(s): web download

Calling Name Access Routing Guide (CNARG)

The Calling Name Access Routing Guide (CNARG) is a single source of information for accessing information relative to databases containing subscriber Calling Name information. CNARG data is used to help administer and maintain Global Title Translation (GTT) tables within Signal Transfer Points (STPs). These tables direct signaling traffic to the correct network locations that store Calling Name data, used to display the caller's name during incoming calls. The CNARG's format and content are similar to the LIDB Access Routing Guide (LARG) which is used to manage access for database queries relative to alternate billing services information.

A text file that defines data fields, provides contact information, etc., is provided with each issue.

The CNARG is a valuable resource for:

- Calling Name service providers
- Database maintenance staff
- Service providers and database maintenance staff who need access to calling name information in order to provide calling party's name to end users

Benefits of the CNARG:

- Increasing the accuracy of queries
- Improving GTT performance
- A complete source of data to populate global title translation tables within the STP that will save staff time and money
- Increase accuracy of data

Calling Name Access Routing Guide

Produced: first workday monthly

Distribution frequency: monthly

Distribution format(s): web download

Product Ordering / Licenses / Other Services

Product Ordering Process

Ordering a TRA product is a two-step process. Once you have decided on which products may meet your needs, please follow these steps:

Obtain a Price Quote - To obtain a price quote, complete the TRA Price Request Form available on the [TRA Website \(https://tra.tnsi.com/product-ordering-process\)](https://tra.tnsi.com/product-ordering-process). The first section is used to identify general contact information and the second section is the company profile, which is used to determine pricing. Once the TRA Price Request Form is received by TRA, TRA will respond within two business days either with a quoted price(s) or, requesting further information that may be necessary to determine such.

Submit an Order - After reviewing the price quote, if you wish to proceed to order a product(s), please complete a TRA Order Request Form. Also, include the required shipping and billing address information and indicate the billing method along with Purchase Order Numbers, if applicable, and sign the order form. Submit the completed Order Form as described on the form.

TRA Price Request Form is available on the [TRA Website](https://tra.tnsi.com) and the Order Request Forms are available by contacting the TRA Customer Care Center.

TRA Enterprise Licenses

- All TRA product licenses are “Enterprise Licenses” that grant ALL employees in a company or specific Line of Business (LOB) unlimited access to the TRA data product for internal job functions within the specific company Line of Business (LOB) obtaining the license.
- The LERG Routing Guide One-Day Changes Process product as an option that can be requested with an Enterprise License for subscribers to the monthly LERG Routing Guide at no additional charge.
- The NPA NXX Activity Guide (NNAG) is available to NPA NXX Active Code List (NNACL) Enterprise Licensees only.
- The TRA products may be copied, duplicated or loaded onto any licensee’s employee’s local computer, a LAN, WAN, server, Operations Support System or other networked device that is accessed by all employees and downstream systems within the specific company Line of Business (LOB) obtaining the license.
- Data may not be extracted in whole or in part for use in derivative products or services for distribution, license or sale outside the company or LOB.

Restrictions on Using TRA Data

TRA strictly prohibits the use or provision of data from its products (in whole, in part, or any derivative of) outside of the company Line of Business defined under a given Enterprise License. However, special licenses may be arranged on a case-by-case basis. Please contact the TRA Customer Care Center to inquire about a special license.

Extended Product Support Services

TRA can provide customers with services that go beyond answering routine questions and similar basic product support. Such can include, but is not limited to:

- Extracting detailed report information, file data, etc., from specific products should the customer not have the time, expertise, etc., to do so.
 - Correlating, assessing, etc., user supplied data in relation to TRA product data.

TRA reviews each request for extended product support services on an individual case basis. After the review, if determined TRA can provide such service, an approximate amount of time and a price to complete the requested work will be quoted. Such services may be cost beneficial when trying to obtain specific information and not familiar with the data.

For additional information, contact TRA Customer Care Center at 866-NPA-NXXs (866-672-6997) or 732-699- 6700.

Payment Information

Payment and Billing Terms

Product subscriptions are billed on an annual basis. Payment is due within thirty (30) days of the date of the invoice. Overdue payments are subject to late charges and interest in accordance with the TRA Product License Terms and Conditions. All payments must be made in U.S. dollars and drawn on a U.S. bank.

Taxes

Customers are responsible for remitting appropriate taxes relative to the product or service purchased. Taxes are based on several factors including the type of product or service involved and any jurisdictional taxes (e.g. sales, state, local, provincial) that may apply. Tax requirements are based on the “primary user/ship-to” address provided by the customer on the order form regardless of the distribution format used to obtain the product.

Subscription Term

TRA product licenses are considered evergreen in nature, meaning the intent is to continue to distribute the product unless specifically terminated by either party. This ensures that you are afforded uninterrupted receipt of a product that may be directly tied to internal processes run by your company. To ensure your awareness of when the billing term of your license is nearing conclusion (usually an annual period), you will be notified of upcoming billing for a new term to permit for continued receipt of the product.

Termination Policy

TNS may terminate the TRA product license(s) if the licensing party breaches any of the obligations contained in the TRA Product License Terms and Conditions and such breach is not remedied within thirty (30) days following notice specifying such breach.

Refund Policy

There are no refunds of the fees paid for product subscriptions. If you are uncertain as to what a particular product contains or how/if you will be able to use it, please call the TRA Customer Care Center at 866-NPA-NXXs (866- 672-6997) or 732-699-6700 to discuss your needs and/or, download and assess a sample copy of the product from <https://tra.tnsi.com/catalog> before submitting an order.