



# TruOps<sup>®</sup> Telecom Routing Administration (TRA) TPM<sup>™</sup> Data Source Glossary Appendix A

TNS<sup>®</sup> System Documentation  
BD-TRA-TPM-SPECS  
Issue Date: May 1, 2026

Copyright © 2026 Transaction Network Services, Inc. All rights reserved.

The information in this document belongs to Transaction Network Services, Inc. or its subsidiaries or affiliates (collectively, “TNS”). It may not be used, reproduced, or disclosed without the written approval of TNS. TNS reserves the right to modify or update the contents of this document at any time without prior notice. Nothing in this document shall be construed as creating any obligation, commitment, or representation on the part of TNS. This document does not constitute and shall not be deemed to constitute a contract, agreement, or other binding commitment between TNS and any recipient or reader of this document.

TNS PROVIDES THIS DOCUMENT ON AN "AS IS" AND "AS AVAILABLE" BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR AGAINST INFRINGEMENT OF ANY INTELLECTUAL PROPERTY RIGHTS. FURTHER, TNS MAKES NO REPRESENTATION OR WARRANTY, EXPRESS OR IMPLIED WITH RESPECT TO THE SUFFICIENCY, ACCURACY, OR UTILITY OF ANY INFORMATION OR OPINION CONTAINED HEREIN. TNS EXPRESSLY ADVISES THE USER THAT ANY USE OF OR RELIANCE UPON SAID INFORMATION OR OPINION IS AT THE SOLE RISK AND LIABILITY, IF ANY, OF THE USER AND THAT TNS SHALL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, CONSEQUENTIAL, PUNITIVE, OR EXEMPLARY DAMAGES OF ANY KIND, INCLUDING BUT NOT LIMITED TO DAMAGES FOR LOSS OF PROFITS, REVENUE, GOODWILL, DATA, OR OTHER INTANGIBLE LOSSES, ARISING OUT OF OR IN CONNECTION WITH THE USE OF, RELIANCE ON, OR INABILITY TO USE ANY INFORMATION CONTAINED IN THIS DOCUMENT, REGARDLESS OF THE CAUSE OF ACTION OR THE THEORY OF LIABILITY, WHETHER IN CONTRACT, TORT (INCLUDING NEGLIGENCE), STRICT LIABILITY, OR OTHERWISE, EVEN IF TNS HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

#### TRADEMARKS

The TNS logo and other trademarks, service marks, trade names, logos, and designs are registered or unregistered trademarks of TNS and its subsidiaries and affiliates in the United States and in foreign countries. All other trademarks, service marks, trade names, logos, and designs referenced in this document are property of their respective owners. Use of any TNS trademark, service mark, trade name, logo, or design without the express written consent of TNS is strictly prohibited.

This document may describe features and/or functionality that are not present in your software or your service agreement, or not available in your geography. Contact your account representative to learn more about what is available with this TNS product. If you need additional help, contact customer support.

Transaction Network Services, Inc.  
10740 Parkridge Boulevard, Suite 100  
Reston, VA 20191  
<http://www.tnsi.com>

#### **For Additional Information About This Document, Please Contact:**

TruOps Telecom Routing Administration (TRA)  
TRA Customer Care Center (CCC)  
Telephone: (732) 699-6700 or 866-NPA-NXXS (866-672-6997)  
Email: [tra@iconectiv.com](mailto:tra@iconectiv.com)



## Appendix A

This appendix is common to the TruOps TRA TPM Data Source and the Operating Telephone Company Numbering Plan Guide (OTCNPG). Fields are listed alphabetically.

The purpose of this appendix is to clarify certain fields and to provide translations for coded values used in certain fields. It is not intended as an all-inclusive glossary, data dictionary, or tutorial. Identification of the file(s) a field is associated with is sometimes provided. If not provided for a data field, the field definition applies to all files in which it is found. If a listing of permissible values is provided, any values not appearing in the logical sequence (e.g., a missing number or letter) implies those values are not currently used.

Last Update Date of this document refers to the date a substantive change (addition/removal of fields) occurred. If changes made only comprise cosmetic changes, minor wording changes, isolated addition/removal field values for a large listing, the last update date of this document will not be altered. Effective Date refers to the TPM file specifications that the noted fields correlate to in total.

### A-1 Field / Term Definitions

FIELD/TERM	DESCRIPTION AND/OR FIELD VALUES
<b>ABEC</b>	CIID files. Alternate Billing Entity Code
<b>ABEC Indicator</b>	CIID files. Indicates that Card Issuer's Billing Code is an ABEC (1) or is not (0).
<b>Account Name</b>	OTCNPG Business Office file only. Currently always Business Billing. Historically included other values as well, e.g. Residence.
<b>ACNA</b>	CIID files. Access Customer Name Abbreviation code
<b>Activity Type</b>	INTLMX file. Activity status of the NDC <ul style="list-style-type: none"> <li>- A = Add (new to the current product)</li> <li>- D = Delete (has been disconnected and will no longer appear in the TPM ongoing (unless reassigned))</li> </ul> ❖ <b>Note:</b> A 'change' to previously reported data will contain both a line with a "D" (old data) and a line with an "A" (new data).
<b>Administrative Division</b>	INTLMX File. Additional information relating to the administrative area covered by the NDC. This could be the name (or abbreviated name) of the area, providence, state, canton, etc., associated with the NDC.
<b>Administrative OCN (AOCN)</b>	An "Operating Company Number" OCN used to identify the company responsible for inputting and maintaining the data in the iconectiv Business Integrated Routing and Rating Database (BIRRDS) (i.e., the database source for many TRA data products). (See also OCN.)
<b>Area Code</b>	INTLMX file. Similar to NANP Area Code (NPA) but may not be three digits.

FIELD/TERM	DESCRIPTION AND/OR FIELD VALUES
<b>Beginning of CIID Assigned Range</b>	CIID files. The first number in a six-digit continuous range of Card Issuer Identification (CIID) numbers.
<b>Bill to RAO</b>	The "Bill to" Revenue Accounting Office (RAO). In TPM and OTCNPG files, if this is an "additional" RAO, the "main" RAO will be in the "Send to RAO" field.
<b>Billing Agent or Host Name</b>	CIID files. If the RAO field of the record is populated, this is a CMDS Host Company Name or the Billing Agent's Name. If RAO is 000, this is the Billing Agent's Name.
<b>Billing Identifier (Billing ID)</b>	INTLMX file. A 10-character billing identification abbreviation associated with the NDC that can be used for billing purposes.
<b>Block ID</b>	<p>TPM only.</p> <ul style="list-style-type: none"> <li>• When numeric, 0-9, this identifies information regarding the specific "thousands block" (i.e. 5 implies the range 5000-5999) of numbers assigned a company or otherwise split NXX.</li> <li>• Block ID "A" indicates information regarding the NXX level data assigned to a company. All NXXs will have a record with Block A; those NXXs in which thousands blocks also exist will have 0-9 records as well.</li> <li>• Note that 0-9 Block IDs will appear for the Block IDs identified by the service provider(s) (i.e., if an NXX has subtending Blocks, not all BLOCK IDs may appear).</li> </ul>
<b>BOC</b>	Bell Operating Company. Essentially the Local Exchange Carriers (LECs) (providing local exchange service) that were a part of AT&T in 1983. Also, see LEC.
<b>Business End Time</b>	Close of business time of day for the business associated with the Toll Library.
<b>Business Office Code</b>	OTCNPG only. A three-digit code chosen by the data provider, by NPA, used to map the NXX or Thousands Block to OTCNPG Business Office data.
<b>Business Start Time</b>	Start time of the business associated with the Toll Library.
<b>Card Issuer's Billing Code</b>	CIID files. CIC or ABEC code.
<b>Card Issuer's Address (Line x) (City, State, Zip Code)</b>	CIID files. Address information of company assigned CIID code.
<b>Card Issuer's Name</b>	CIID files. Name of company assigned a CIID code.

FIELD/TERM	DESCRIPTION AND/OR FIELD VALUES
<b>Change Code (non CIID files)</b>	<p>Used to indicate some aspect of the record has changed from the previous product.</p> <p>Change Codes do not appear in the OTCNPG, except for the NXX file. All may appear if the specific change occurred during the month, in the TPM master file. Except for “blank” and A, all may appear in the TPM “activity” file as well.</p> <p>❖ <b>Note:</b> A record that is to be effective in the future (relative to the product’s timeframes) will indicate a change occurred through use of a “B” regardless of the number of fields that may have changed.</p>
	(Blank) = No Change
	2 = Dialable Indicator
	3 = Place Name and/or Locality Name and/or - Rate Center Name and/or associated state
	4 = Major Vertical and/or Horizontal Coordinate (note: a change to only minor V&H’s will have a “4” appear in the Minor V&H file only)
	5 = Time Zone and/or Daylight Savings Indicator
	6 = RAO Code (Note: In the SCC file this indicates an NPA Code change)
	7 = Operating Company Number (OCN)
	8 = Other Line Rate Step
	9 = Multiple Changes
	A = Awaiting Effective Date (but no data change) - (NXX will be activated in the future) - (will not appear in the "activity" file of a product)
	B = Any data change to a record in an "A" state
	C = Literal Company Name
	D = Deletion
	E = Effective Date of Change (note: an E may indicate that a data element associated with the NXX, but not a part of the given file data, has changed)
	F = No longer used
	G = AOCN
	H = Point ID
	J = Company Type
	K = No longer used
	L = LATA and/or LATA Subzone
	M = Business Office Code (OTCNPG only)
	N = New record (was not in primary file of previous product)

FIELD/TERM	DESCRIPTION AND/OR FIELD VALUES
	P = IDDD Indicator
	Q = Rate Center Name Abbreviation
	R = NXXTYPE
	T = Portability Indicator
	U = Cancellation of a Z code appearing in previous product
	V = Thousands Block Pooling Indicator
	W = Send to RAO
	Z = True routing disconnect date is in current, previous, or second <ul style="list-style-type: none"> <li>- previous product window. Data retained for bill</li> <li>- reconciliation needs. (data change is not implied)</li> </ul>
<b>Change Code (only CIID files)</b>	Used to indicate some aspect of the record has changed from the previous product. Not applicable to the OTCNPG.
	0 = No Change
	1 = Card Issuer's Name or Address
	2 = Card Issuer's Code
	3 = ABEC Indicator
	4 = ACNA
	5 = Validation Data Base Operator
	6 = Billing Agent/Host Name
	7 = Billing Agent/Host RAO Code
	8 = End Range
	9 = Multiple Changes
	A = Awaiting Effective Date (but no data change) (NXX will be activated in the future)
	D = Deletion
	E = Change in Effective Date of Change
	N = New record (was not in primary file of previous product)
<b>Change of Address Indicator</b>	RAO file only. <ul style="list-style-type: none"> <li>- 0 = no RAO Contact information has changed from the prior month's data.</li> <li>- 1 = some RAO information has.</li> </ul>
<b>CIC</b>	Carrier Identification Code. These codes are administered by NANPA.
<b>CIID</b>	Card Issuer IDentification code. TNS, via the RAO Administrator, administers these codes. These are issued in lieu of RAO/01XX calling cards to companies who may not have an RAO associated with them.

FIELD/TERM	DESCRIPTION AND/OR FIELD VALUES
<b>City Code</b>	INTLMX file. Similar to NANP NXX Code but may not be 3 digits (may not always pertain to only one particular “city”)
<b>CLEC</b>	Competitive Local Exchange Carrier (see LEC)
<b>CMDS</b>	Centralized Message Processing System (CMDS) is a means for local exchange carriers to exchange certain alternate billing messages among each other (e.g. a collect call from one carrier’s area to another’s)
<b>CNA Information Indicator</b>	OTCNPG NPA file only. <ul style="list-style-type: none"> <li>- 0 = no CNA information exists.</li> <li>- 1 = CNA information exists.</li> </ul>
<b>CNA Information</b>	OTCNPG NPA file only. Provides contact information for one office in an NPA that can be contacted regarding Customer Name and Address (CNA) information.
<b>Company Code</b>	This field is no longer of value to TPM subscribers; therefore, beginning with the February 2021 TPM product, the Company Code field will be populated with 00 in all cases.
<b>Company Type</b>	0 = BOC Exchange Carrier
	1 = Independent Exchange Carrier (incumbent LEC)
	2 = Interexchange Carrier
	3 = Radio Common Carrier
	4 = Cincinnati Bell and Southern New England Telephone
	5 = Cellular Carrier
	6 = Internet Service Provider (ISP)
	7 = Service Exchange Company (e.g. CLEC)
	8 = Personal Communication Services (PCS) Service Provider
	9 = NXX applies to multiple companies (OCN=MULT)
<b>Copyright and Notice</b>	This is a text statement indicating specific Copyright and/or Notice of Limitations regarding the data in a given product.
<b>Country Code</b>	INTLMX file. International Telecommunications Union (ITU) assigned Country Code (E.164)
<b>Country Name</b>	INTLMX file. Short name of country in English (ISO standard)

FIELD/TERM	DESCRIPTION AND/OR FIELD VALUES
<b>Daylight Savings Observed Indicator</b>	<p>0 = Not observed, 1 = Observed, for the given NXX.</p> <p>❖ <b>Notes:</b></p> <ul style="list-style-type: none"> <li>• If Time Zone = 0 (i.e. Not Applicable), the NXX involved is an ODDBALL code, or has some unique characteristics – in these cases, Daylight Savings may or may not be indicated as applicable by the NXX or Block assignee.</li> <li>• Daylight Savings start/stop dates and times may vary where it is indicated that it applies. This is especially true when considering the different countries involved with the NANP. The TPM does not provide or maintain such start/stop information.</li> </ul>
<b>Daylight Savings Time (DST) start</b>	INTLMX file. The DST start date and time, when applicable. (yyyymmddhhmm)
<b>Daylight Savings Time (DST) end</b>	INTLMX file. The DST end date and time, when applicable. (yyyymmddhhmm)
<b>Dialable Indicator (DIND)</b>	<p>This field reflects whether at least one active telephone number within an NPA NXX and/or block is dialable by the customer or by an operator.</p> <p>1= yes, dialable; 0= no, not dialable.</p>
<b>Direct CMDS Participant / Hosting OCN</b>	<p>RAO file only.</p> <p>For an RAO Indicator value of 2 or 3, this identifies the OCN of the company that is a Direct CMDS participant.</p> <p>In cases where the RAO is not actually assigned to the direct participant, this identifies the direct participant that is hosting the RAO in CMDS.</p>
<b>Effective Date of Assignment</b>	For TBPIND = 1 (yes), this is the date the block or NXX (block “A”) assignment was (or will be) made effective. On or after this date the company assigned the block or NXX may assign lines to subscribers.
<b>Ending of CIID Assigned Range</b>	<p>CIID files.</p> <p>The last number in a six-digit continuous range of Card Issuer Identification (CIID) numbers.</p>
<b>Effective Date</b>	<p>INTLMX file. (mm/dd/yyyy) - This indicates the last effective date of change.</p> <ul style="list-style-type: none"> <li>• If no changes were ever made to the record, this would be the establishing date. .</li> <li>• For records with Activity Type of D, the date is not a disconnect date.</li> </ul>

FIELD/TERM	DESCRIPTION AND/OR FIELD VALUES
<b>Effdate of Last Change</b>	<p>(mmddyy) - The last "effective date" of the last data changes to the record. This may be in the future in certain cases.</p> <ul style="list-style-type: none"> <li>• The intent of this field is to provide a reference for recent, relatively near term, changes that occurred should the user need to research or reconcile past changes.</li> <li>• Note that this date, when in the past, simply reflects the latest effective date of a past change to this record. If no changes were ever made to the record, this would be the establishing date.</li> <li>• The date reflects the date in the underlying database to the TPM. The underlying database does not have records that go back beyond approximately 5-7 years, and such older data is occasionally "rolled-up" into a more recent date.</li> </ul>
<b>filler</b>	<p>A once used (or planned to be used) area of a record layout that does not currently correspond to any data element.</p> <p>Filler areas should always contain blanks.</p> <p>Filler areas exist to minimize disruption to user-specific processes that are based on the position of fields in files when fields are added or removed over the course of time.</p>
<b>IDDD Indicator</b>	<p>0 = indicates that International Direct Distance Dialing (IDDD) cannot originate from the NPA NXX.</p> <p>1 = indicates it can.</p>
<b>ISO2 Country Abbreviation</b>	<p>INTLMX file.</p> <p>Two-character ISO country code.</p>
<b>LATA</b>	<p>Local Access Transport Area (3 digits) may be 000 in certain cases. This is intended to be the LATA of the Rate Center (note that the LATA of where the switch is physically located may be different).</p>
<b>LATA Subzone</b>	<p>Finer LATA breakdown (Florida only) (2 digits).</p> <p>The Florida Public Utility Commission established these in 1984. Applicability pertained to BellSouth and was adhered to by some major independent carriers in the areas. Depending on the carrier involved, Florida LATA data may or may not be used to qualify the Subzone.</p>

FIELD/TERM	DESCRIPTION AND/OR FIELD VALUES
<b>LEC</b>	<p>Local Exchange Carrier.</p> <p>Traditionally, the one Bell Operating Company (BOC), or an "independent" carrier that was designated to provide local exchange services in a specific geographical area. With the introduction of cellular services and local competition, the ongoing use of this term can be confusing.</p> <ul style="list-style-type: none"> <li>• Terms such as Alternate Exchange Carrier (AEC), Other Local Exchange Carrier (OLEC), Alternate Local Exchange Carrier (ALEC), Competitive Access Provider (CAP), etc. have been used to distinguish competitive carriers from traditional (also called incumbent) LECs.</li> <li>• Varying terminology is the result of usage and definitions arising from individual state utility commissions.</li> <li>• State and federal regulations, procedures, and processes may also apply differently to these various types of companies.</li> </ul> <p>Also, see CO TYPE.</p>
<b>Library Code</b>	<p>OTCNPG Toll Library file only.</p> <p>A two-character code uniquely identifying a Toll Library.</p>
<b>Locality</b>	<p>INTLMX file.</p> <p>The name of the city associated with the NDC codes. In the case of mobile and special service codes there may not be a specific city associated with the code.</p>
<b>Locality Name</b>	<p>OTCNPG NXX files.</p> <p>50-character field identifying the properly spelled out full name of the "locality" to which an NXX is associated. Often synonymous with Place Name. This does not imply that the NXX is assigned solely to the identified Locality Name since NXX line numbers can be assigned anywhere within a given Rate Center.</p> <ul style="list-style-type: none"> <li>• Often the Locality Name is the same as the Rate Center Name.</li> <li>• Some service providers may use a Locality Name different from its Rate Center Name for easier recognition, because most lines may be assigned to that Locality Name, etc.</li> </ul>
<b>Locality State</b>	<p>OTCNPG NXX files.</p> <p>Standardized two-character state, province, or country abbreviation associated with Locality Name.</p> <p>See table at the end of this appendix.</p>
<b>Major Horizontal Coordinate</b>	<p>Along with vertical coordinates, a means to identify a specific geographical point. Derived from longitude and latitude. Used primarily for distance computations in rating calls.</p> <p>❖ <b>Note:</b> Horizontal coordinate values in the Caribbean are preceded with a negative sign to properly align them within the North American V&amp;H coordinate grid work and to ensure distance computations provide proper results.</p>
<b>Major Vertical Coordinate</b>	<p>Along with horizontal coordinates, a means to identify a specific geographical point. Derived from longitude and latitude. Used primarily for distance computations in rating calls.</p>

FIELD/TERM	DESCRIPTION AND/OR FIELD VALUES
<b>Maximum number of dialable digits</b>	<p>INTLMX file.</p> <p>The maximum number of dialable digits, including the country code. This field pertains to the overall country dialing plan, not the specific NDC.</p>
<b>Minimum number of dialable digits</b>	<p>INTLMX file.</p> <p>The minimum number of dialable digits, including the country code. This field pertains to the overall country dialing plan, not the specific NDC.</p>
<b>Minor Horizontal Coordinate</b>	<p>Minors are used in certain areas to permit distance computations for calls within the area.</p> <p>Also, see major horizontal coordinate.</p> <p>❖ <b>Note:</b> Minor V&amp;H Coordinates in Alaska are computed using a different algorithm.</p>
<b>Minor Vertical Coordinate</b>	<p>Minors are used in certain areas to permit distance computations for calls within the area.</p> <p>Also, see major vertical coordinate.</p> <p>❖ <b>Note:</b> Minor V&amp;H Coordinates in Alaska are computed using a different algorithm.</p>
<b>NANP(A)</b>	<p>The North American Numbering Plan (NANP) is a set of guidelines supporting the use of telephone numbering consistent with what is followed in the US.</p> <ul style="list-style-type: none"> <li>• The NANP constitutes the area that was formerly designated as World Zone 1 by the International Telecommunications Union (ITU).</li> <li>• The NANP currently comprises the United States, Canada, parts of the Caribbean and Atlantic, American Samoa, Guam, and the Commonwealth of the Northern Marianas.</li> <li>• The (A)ministration aspects of this plan are currently performed by whatever company has been designated to do so by the FCC. Although the FCC has overall jurisdiction for the NANPA, individual NANP country regulatory agencies have autonomous powers in how numbering assignments are managed in their countries.</li> </ul>

FIELD/TERM	DESCRIPTION AND/OR FIELD VALUES
<b>National Destination Code (NDC)</b>	<p>INTLMX file.</p> <p>National Destination Code: e.g. Area Code + City Code – may include additional dialing digits if applicable (for some countries this may just be the Area Code, or Area Code + City Code or a combination of both).</p> <p>❖ <b>Note:</b> Mexico has 2 types of mobile assignments – Mobile Party Pays (MPP) and Calling Party Pays (CPP). No Mexico “area codes” begin with “1”. Per a Cofetel requirement, all CPP calls originating outside of Mexico for termination within Mexico MUST be prefaced with a “leading digit 1” after the Country Code. These numbers will be 13 digits in length (includes country code). Example: + 52 1 5524351690. The TPM prefaces a “1” to all mobile CPP NDCs in the INTLMX file.</p>
<b>Note(s)</b>	<p>OTCNPG (various files) only.</p> <p>Provides additional information about the given record.</p>
<b>NPA</b>	<p>Numbering Plan Area (Area Code). For Mexican data, this field is populated as 052 and is technically not a true NPA but relates to the Mexico Country Code value of 52.</p>
<b>NXX</b>	<p>NXX (N=2-9, X=0-9) (also called exchange, prefix and Central Office (CO) Code).</p> <p>For Mexican values, this not a true NXX but rather pertains to the Mexican numbering region code (NIR - Número Identificador de Región) – in cases of 2-digit NIRs, records having 1-9 as the third digit exist.</p>
<b>NXXTYPE</b>	<p>Provides information on how the NXX is being used.</p>
	<p>00 = Regular (Plain Old Telephone Service (POTS))</p>
	<p>01 = Dedicated to Mobile Radio - (Improved Mobile Telephone Service (IMTS))</p>
	<p>02 = Dedicated to Paging</p>
	<p>04 = Dedicated to Cellular</p>
	<p>05 = Test Code</p>
	<p>09 = 9YY Service</p>
	<p>11 = Information Provider Services</p>
	<p>13 = Directory Assistance</p>
	<p>15 = Official Exchange Service</p>
	<p>16 = Originating Only</p>
	<p>17 = Billing Only / Planned Code</p>
	<p>18 = Dedicated to Voice over Internet Protocol</p>
	<p>30 = Broadband</p>

FIELD/TERM	DESCRIPTION AND/OR FIELD VALUES
	50 = Shared between 3 or more - (POTS, Cellular, Paging, Mobile, or miscellaneous)
	51 = Shared between POTS and Mobile
	52 = Shared between POTS and Paging
	53 = Shared between POTS and VoIP
	54 = Shared between POTS and Cellular
	<b>NXXTYPEs 55-58</b> - These indicate a dedicated code assigned to a (cellular, paging, mobile, (or shared among 2 or 3 of these)) service provider, for the specified service AND the service provider has requested LEC IntraLATA special billing option on a LATA-wide basis. IntraLATA toll calls originating from LEC landline subscribers are billed to the service provider as specified by state tariffs.
	55 = Special Billing Option - Cellular
	56 = Special Billing Option - Paging
	57 = Special Billing Option - Mobile
	58 = Special Billing Option shared between 2 or more - (Cellular, Paging, Mobile)
	<b>NXXTYPEs 60-63</b> - These indicate a dedicated code assigned to a (cellular, paging, mobile, (or shared among 2 or 3 of these)) service provider, for the specified service AND the service provider has requested LEC IntraLATA special billing option on a SELECTIVE exchange basis. IntraLATA toll calls originating from LEC landline subscribers, in SELECTIVE exchanges, are billed to the service provider as specified by state tariffs.
	60 = Service provider requests SELECTIVE Local Exchange Company IntraLATA Special Billing Option - Cellular
	61 = Service provider requests SELECTIVE Local Exchange Company IntraLATA Special Billing Option - Paging
	62 = Service provider requests SELECTIVE Local Exchange Company IntraLATA Special Billing Option - Mobile
	63 = Combinations of 60, 61, and 62
	64 = Personal Communications Services (Non-geographic) and NPA 600
	65 = Personal Communications Services (Geographic)
	66 = Shared between POTS and Personal Communications Services (Geographic)
	67 = Special Billing Option - PCS and Personal Communications Services (Geographic)
	68 = Service provider requests SELECTIVE Local Exchange Company IntraLATA Special Billing Option – PCS and Personal Communications Services (Geographic)

FIELD/TERM	DESCRIPTION AND/OR FIELD VALUES
	<p>77 = Oddball Codes - 77 is used for Oddball NXXs codes such as 411, 700, etc. which are either processed and/or used differently by the carriers who may use them or are not specific to a given Rate Center, etc. Some NXXs may be considered Oddball codes, however they may have unique NXXTYPES already assigned (e.g. NXXTYPE 11, 30, etc.). Oddball codes are essentially special use codes. In some cases, an Oddball code may be specific to a carrier and to a specific Rate Center in which case another NXXTYPE code would likely be used.</p>
<p><b>Oddball Codes</b></p>	<ul style="list-style-type: none"> <li>• Oddball codes are NXXs, and numeric blocks if applicable, that are special use codes (NXXs) as noted below. Some of these codes are generic (not technically assigned to a single carrier) and thus may be processed differently by each carrier (e.g. 411). Supporting information for these general codes is generally minimal; however, they are included in the data to positively indicate their existence.</li> <li>• Some Oddball Codes may be assigned to specific carriers but are handled via special tariffs or have other aspects associated with them that may make data associated with a ‘standard’ NXX (e.g. Rate Center, Time Zone, etc.) not applicable. <i>Also, see NXXTYPE 77 and OCN MULT.</i></li> <li>• In some cases, a specific NXXTYPE value may exist, and is so noted. Also, in some cases of specific NXXs (e.g. 958, 976, etc.) may be an assigned for standard telephony service (generally historically embedded situations) in which case they would reflect appropriate data for a standard NXX. Use of some NXX specific codes (e.g. 976) may also vary depending on the jurisdictional body managing numbering within the NANP country.</li> <li>• <b><i>The following generally are addressed in a similar manner between the United States and Canada.</i></b></li> <li>• <u>Advanced Intelligent Network</u> - Usually a routing code (NXX) assigned to a Local Service Provider (LSP) offering a wide range of circuit switched services and utilizing elements of Advanced Intelligent Network (AIN) platforms to determine proper termination of a call. AIN codes may terminate to different locations dependent upon where the call originates, and requires a database application and/or query for processing.</li> <li>• <b>Billing Only</b> - A non-ratable NXX used for billing purposes only. These codes are used to generate bills but are not dialable or switched through the PSTN. (NXXTYPE 17).</li> <li>• <u>Broadband</u> - An NXX assigned to multiple Broadband service offerings. Currently, these codes are not ratable in the PSTN; however, this is subject to change. Subscriber bills for usage are generated for Broadband telephone numbers. (NXXTYPE 30).</li> <li>• <u>Customer Directory Assistance</u> only (line number 1212) – This COCTYPE value is used as a means of flagging “Directory Assistance (DA) CO Codes (NXXs). <u>Cable Television</u> - An NXX assigned for subscriber access to a cable television company.</li> </ul>

FIELD/TERM	DESCRIPTION AND/OR FIELD VALUES
	<p>The telephone numbers are usually assigned on a 7-digit basis, are ratable on a limited basis, and may be used to determine subscriber charges for selective viewing or special events.</p> <ul style="list-style-type: none"> <li>• <u>Emergency Preparedness</u> - A non-N11 NXX used for emergencies and disaster recovery (i.e. earthquakes, floods, etc.).</li> <li>• <u>Feature Group B Access</u> - NXX 950. Used for truck side termination arrangements that provide state FGB originating and terminating exchange access.</li> <li>• <u>High Volume</u> - indicates an NXX or block from which the assigned company provides line numbers to address cases involving a high volume of calls over a short period of time (e.g. media promotional call-in requests, certain emergency and relief situations, etc.). The NXX or block involved is not associated with a given Rate Center or switch. Assigned HVL numbers may also often be referred to as “Mass Calling” numbers.</li> <li>• <u>Information Provider</u> - An NXX or block used uniquely for providing various “information services.” These include NXX 976 and “976 Like” codes. “976” is reported assigned in an NPA when there is a state tariff (or other regulatory body decision) defining its use. (NXXTYPE 11).</li> <li>• NXXs 211 through 911.</li> <li>• Note:             <ul style="list-style-type: none"> <li>- (1) 411, 711, and 911 are nationally designated numbers that should be operational in every NPA in the U.S., U.S. Territories, and Canada</li> <li>- (2) “Activation” of other N11 numbers could vary by state or province</li> <li>- (3) In Canada, 511 is currently unassigned</li> <li>- (4) N11 assignment in other areas of the NANP may vary and are defined by the Code Administrator in each country.</li> </ul> <p>Additional N11 information can be found in Section 4.4.2 of the LERG General Section.</p> </li> <li>• <u>Open Network Architecture</u> - An NXX assigned exclusively for ONA services. The NXX may be dialable on a company-wide, region-wide, or other limited calling area.</li> <li>• <u>Planned - Planned Code</u> - non-routable. Currently used infrequently by some companies to address situations that do not readily conform to other permissible values. PLN codes cannot be ported or pooled. (NXXTYPE 17).</li> <li>• <u>Routing Only</u> - An NXX used by an LSP for administrative or official calling purposes. Assigned telephone numbers consist of the pseudo NXX and a four-digit line number. Routing codes are dialable on a 7-digit basis only and are not associated, dialed, translated, nor terminated with a Home or Foreign NPA. Such codes may terminate to multiple locations dependent upon where the call originates and usually requires 7-digit</li> </ul>

FIELD/TERM	DESCRIPTION AND/OR FIELD VALUES
	<p>routing and code conversion in the translations process. Routing codes are not rated.</p> <ul style="list-style-type: none"> <li>• <u>Unavailable for Assignment</u> - Certain NXXs may be deemed unavailable for assignment for various reasons. For example, NXXs may be protected in a specific NPA (withheld from assignment) due to certain characteristics and interrelationships between the NPA and NXXs involved, dialing plans, etc. - which, if assigned, would create routing and rating conflicts. NXXs may also be considered unavailable for assignment for various other reasons.</li> <li>• <u>700 IntraLATA Presubscription</u> - dialing (home NPA)-700-xxxx is used for subscribers' access into their presubscribed IntraLATA provider's network. x4141 is reserved to provide an indication to subscribers as to what network they are pre-subscribed. NXX 700 can only be assigned as a standard Central Office (CO) Code if the assigned company agrees to reserve x4141 for the indicated purpose.</li> </ul>
<p><b>Operating Company Number (OCN)</b></p>	<p>This four-position alphanumeric field is a method for identifying an NXX or Thousands Block assignee, switching entity company, non-facility-based service providers such as resellers, billing service providers, etc. The term has been defined by TRA and employed in this capacity since 1984.</p> <ul style="list-style-type: none"> <li>• A complete listing of OCNs and the "names" of the companies they refer to are contained in the TPM and OTCNPG.</li> </ul> <p>In most instances, the OCN value will be a Company Code assigned by NECA (National Exchange Carrier Association), formatted nXXX where n=0-9, X=0-9,A-Z. If a company does not require a NECA-assigned Company Code, the Telecom Routing Administration (TRA) may uniquely assign an OCN for tracking purposes (formatted aXXX where a=A-Z, X=0-9,A-Z). TRA assignment of OCNs includes, but is not limited to, the following types of situations:</p> <ul style="list-style-type: none"> <li>• OCNs of NXXs within Service Access Codes.</li> <li>• Administrative OCNs (e.g. AOCN-only companies).</li> </ul> <p>❖ <b>Notes:</b></p> <ul style="list-style-type: none"> <li>- An OCN of MULT pertains to certain "Oddball Codes" which are included with NXX data to note their existence but are mangled and handled in varying ways by different carriers. These codes are not directly assigned to any given carrier.</li> <li>- For various reasons, not all OCNs that are listed in the OCN file will appear in other files. Reasons include OCNs assigned to companies that have yet to have NXX assignments, use of an "overall" OCN by some companies in lieu of state-specific OCNs, etc.</li> <li>- OCN file - On occasion, and for various reasons, a NECA assigned Company Code that may be used as an OCN may be "expired" by NECA. However, for purposes of completeness and for user reference, such cases will</li> </ul>

FIELD/TERM	DESCRIPTION AND/OR FIELD VALUES
	continue to be provided in the OCN file. These OCNs technically should not appear in any other file.
<b>Other Line Rate Step</b>	Coded information used in determining the rating used by some carriers for areas outside the US, US Territories, and Canada. In the case of Mexican data, this pertains to bands 1-8. <b>Note:</b> In the INTLMX.DAT file the values for Mexico appear in the Rating Indicator field.
	00 = not applicable
	01-08 = Mexico
	54 = Bermuda
	55 = Sint Maarten
	56 = Dominican Republic
	57 = Bahamas
	81 = Jamaica
	EV = Cayman Islands
	J1 = St. Vincent
	J4 = Anguilla
	J6 = British Virgin Islands
	J7 = Turks & Caicos
	JE = Antigua
	JV = Dominica
	JW = Grenada
	JX = Montserrat
	JY = St. Kitts & Nevis
	JZ = St. Lucia
	QN = Trinidad & Tobago
	QR = Barbados
<b>PCS</b>	Personal Communications Services. This comprises a range of services that provide subscribers with increased control over their communication set-ups.

FIELD/TERM	DESCRIPTION AND/OR FIELD VALUES
<b>Place Name (or Service Name)</b>	<p>Identifies the general location or service of each NPA NXX and/or block.</p> <p>When 10 characters, the abbreviated place "name" (or service name) used by many customer billing processes to appear on bills. The 50-character field spells out the name. This does not imply that the NXX is assigned solely to the identified Place Name since NXX line numbers can be assigned anywhere within a given Rate Center. Often the Place Name is the same as the Rate Center Name.</p> <p>Some service providers may use a Place Name different from its Rate Center Name for easier recognition, because the majority of lines may be assigned to that Place Name, etc.</p>
<b>Point Identification</b>	<p>Used by some legacy billing and rating systems to identify specific territories and services when applicable. Values not listed (e.g. 1) are no longer used.</p> <p>0 = Non-protected 48 states</p> <p>2 = Canadian Point</p> <p>3 = Alaskan Point</p> <p>4 = Caribbean Point</p> <p>6 = Hawaiian Point</p> <p>9 = 9YY Service</p> <p>B = Personal Communications Services (Non- geographic) (5XX-NXX, 600, 6YY (YY = 22 33 44 55 77 88))</p> <p>C = non-Hawaii Pacific Point (Guam, the Commonwealth of the Northern Mariana Islands (CNMI), and American Samoa)</p>
<b>Portability Indicator</b>	<p>A "1" (yes) in this field indicates that at least one line number in the NPA NXX may be ported either due to Thousands-Block-Number Pooling and/or Service Provider Local Number Portability. Porting involves mapping a given line number to a Location Routing Number (LRN) via the Number Portability Administration Center (NPAC) for routing the call (the basic process of Local Number Portability, LNP).</p> <p>❖ <b>Note:</b> Line numbers associated with paging are not to be considered Service Provider portable. In cases were an entire NPA NXX or an entire thousands block is dedicated to paging numbers, the PORTABLE indicator will be "0" (no).</p>
<b>Primary or Secondary (POS)</b>	<p>INTLMX file.</p> <p>Indicates whether number is (P)primary or (S)econdary. Used when multiple place names have the same NDC. The Primary number is the first NDC. Secondary numbers are all NDCs that follow the first instance of the NDC. No other significance should be given to the Primary/Secondary values.</p>

FIELD/TERM	DESCRIPTION AND/OR FIELD VALUES
<b>Range</b>	In the TPM, for Thousands Block Pooling or other “range-split” NXXs, this identifies the assigned range of numbers in a block. Also, see Block ID and Thousands Block Pooling Indicator.
<b>RAO Code</b>	Also, see "Bill to RAO". RAO stands for Revenue Accounting Office. This is a three-character code, assigned by iconectiv via the RAO Administrator. It is required in the processing of calls through the Centralized Message Distribution System (CMDS) and related systems.
<b>RAO Code Type Indicator</b>	1 = a non-hosted company (i.e. does not participate in the CMDS process either as a direct participant or by being hosted by a direct participant)
	2 = a Nationwide RAO code (participates in CMDS)
	3 = a Full Status RAO code (participates in CMDS)
<b>RAO Contact Information</b>	RAO file only. Contact information for company assigned the RAO in the RAO file.
<b>RAO User Operating Company Number</b>	RAO file only. Company assigned the RAO in the RAO file. Also, see Operating Company Number (OCN).
<b>Rate Center LATA</b>	See LATA
<b>Rate Center LATA Subzone</b>	See LATA Subzone
<b>Rate Center Name</b>	50-character field identifying the "Rate Center" (exchange area) to which an NXX is associated.  Rate Centers are telco based geographic areas that can comprise several towns/areas, maybe a single town, or may be a section of a larger city. All lines of an NXX must all be associated with the same, single Rate Center for purposes of rating the call. For certain NXXs (see Oddball Codes), a geographic Rate Center value may not apply.  The 50-character Rate Center Name is the properly spelled out full name of the Rate Center. Most often, the Rate Center Name is the name of the major Locality in the area it covers.
<b>Rate Center Name Abbreviation</b>	10-character abbreviation of 50-character Rate Center Name.
<b>Rate Center (Name) State</b>	Standardized two-character state, province, or country abbreviation associated with Rate Center Name. See table at the end of this appendix.
<b>Rating Indicator</b>	INTLMX file.  When applicable, this field provides additional information associated with the NDC in regard to calling rating.  In the case of Mexico, values of 01-08 identify Mexican rate bands (i.e. historically noted as Other Line Rate Step for Mexico).  When not applicable, such as in cases of numbers that can be considered non-geographic in scope (e.g. country wide numbers, freephone, etc.) the value for this field is 00.

FIELD/TERM	DESCRIPTION AND/OR FIELD VALUES
<b>SCC</b>	<p>Special Calling Card.</p> <p>These are "RAO" based calling cards (as opposed to line (NPA NXX) based calling cards.</p> <p>Assignment data is provided in the rating products for the first six digits of these cards. True format of the first six digits of such cards is the RAO followed by a 0/1XX code. In certain processing environments, RAOs that begin with 0 or 1 are translated to 6 and 7 respectively.</p>
<b>Send to RAO</b>	<p>The Revenue Accounting Office (RAO) to which the Centralized Message Distribution System (CMD5) will "send" data. See "Bill to RAO".</p>
<b>Service Contact Information</b>	<p>RAO file only.</p> <p>A contact telephone number for investigative or other support services relative to the RAO. Formerly, fields were provided for several numbers, but currently only the first field is used.</p>
<b>Service Provider</b>	<p>INTLMX file.</p> <p>The name of the service provider who is assigned the NDC.</p>
<b>State or Special Purpose NPA Name</b>	<p>OTCNPG NPA file only.</p> <p>The state, province, etc. of a geographical NPA or purpose of a non-geographical NPA.</p>
<b>State, Province, or Country Name</b>	<p>The USPS standard two-character code for US states. Other areas are primarily a two-character identifier corresponding to COMMON LANGUAGE® standards that may or may not always correspond with the area's postal authority or any other international standards. See table at end of this appendix for further details.</p>
<b>Supplement</b>	<p>INTLMX file.</p> <p>May contain information related to the NDC field that adds further definition or clarification.</p>
<b>Telephone Number</b>	<p>A contact number for the service, person, or other activity associated with the record.</p> <p><i>Note that this information may be outdated for some records.</i></p>
<b>Thousands Block Pooling Indicator</b>	<p>Permissible values are 0 (no) and 1 (yes).</p> <ul style="list-style-type: none"> <li>• 1 = Indicates that the NPA NXX has been identified to be part of a pool of NXXs, within the given NPA, that are assigned 1000 lines at a time by the Pool Administrator (currently only applicable to the United States) to potentially different companies (currently only applicable to the United States).</li> <li>• 0 = Indicates that the NXX is not publicly pooled and that there generally is no information below the NXX "A" Block level. However, if numeric block records are provided, the NXX is not publicly pooled, but the data provider has chosen, for purposes of Intra Service Provider (SP) Pooling, seven-digit routing, etc., to show its fully assigned NXX to be split at the thousands block level. This can apply to all NPAs across the NANP.</li> </ul>

FIELD/TERM	DESCRIPTION AND/OR FIELD VALUES															
<b>Time Zone</b>	<p>0 = Not applicable            1 = Guam and the Commonwealth of the Northern Mariana Islands (CNMI) (GMT +10)            2 = Hawaii (GMT –10), American Samoa (GMT –11)            3 = Alaska (GMT –9)            4 = Pacific (GMT –8)            5 = Mountain (GMT –7)            6 = Central (GMT –6)            7 = Eastern (GMT –5)            8 = Atlantic (GMT –4)            9 = Newfoundland (GMT –3.5)</p> <p>❖ <b>Note:</b> Standard time, as hour offsets from Greenwich Mean Time (GMT), is parenthetically noted. If an area observes Daylight Savings Time (DST) the offset should be adjusted accordingly during DST observance (e.g. Pacific under DST is GMT –7).</p>															
<b>Time Zone (UTC)</b>	<p>INTLMX file.            Coordinated Universal Time</p> <table border="0" data-bbox="617 982 1421 1203"> <tr> <td>Atlantic standard</td> <td>TPM.DAT = 8</td> <td>UTC = -5</td> </tr> <tr> <td>Eastern standard</td> <td>TPM.DAT = 7</td> <td>UTC = -6</td> </tr> <tr> <td>Central standard</td> <td>TPM.DAT = 6</td> <td>UTC = -7</td> </tr> <tr> <td>Mountain standard</td> <td>TPM.DAT = 5</td> <td>UTC = -8</td> </tr> <tr> <td>Pacific standard</td> <td>TPM.DAT = 4</td> <td>UTC = -9</td> </tr> </table>	Atlantic standard	TPM.DAT = 8	UTC = -5	Eastern standard	TPM.DAT = 7	UTC = -6	Central standard	TPM.DAT = 6	UTC = -7	Mountain standard	TPM.DAT = 5	UTC = -8	Pacific standard	TPM.DAT = 4	UTC = -9
Atlantic standard	TPM.DAT = 8	UTC = -5														
Eastern standard	TPM.DAT = 7	UTC = -6														
Central standard	TPM.DAT = 6	UTC = -7														
Mountain standard	TPM.DAT = 5	UTC = -8														
Pacific standard	TPM.DAT = 4	UTC = -9														
<b>Type of Service (TOS)</b>	<p>INTLMX file.            Type of Service for the NDC: F = Freephone, G = Geographic, M = Mobile, P = Paging, , S = Special Services, T = Test Number</p>															
<b>Type of Service Description</b>	<p>INTLMX file.            Further identifies the call type. For example, Geographic, Freephone, Satellite, Shared Cost, Mobile Party Pays (MPP) ,Calling Party Pays (CPP) CDMA, etc.</p>															
<b>V&amp;H Coordinates</b>	<p>See Major (or Minor) Vertical (or Horizontal) Coordinate.</p>															
<b>Validation Database Operator Name</b>	<p>CIID files.            Name of company validating given CIID data.</p>															
<b>0/1XX (SCC Code within RAO)</b>	<p>Similar to NXX codes. Used in Special Calling Cards.</p>															

## A-2 State, Province, Island Code Table\*

CANADA			UNITED STATES		UNITED STATES (CONT'D)	
Alberta	AB		Alabama	AL	Montana	MT
British Columbia	BC		Alaska	AK	Nebraska	NE
Manitoba	MB		Arizona	AZ	Nevada	NV
New Brunswick	NB		Arkansas	AR	New Hampshire	NH
Newfoundland**	<b>NF</b>		California	CA	New Jersey	NJ
Northwest Territory	NT		Colorado	CO	New Mexico	NM
Nova Scotia	NS		Connecticut	CT	New York	NY
Nunavut Territory**	<b>VU</b>		Delaware	DE	North Carolina	NC
Ontario	ON		District of Columbia	DC	North Dakota	ND
Prince Edward Island	PE		Florida	FL	Ohio	OH
Quebec**	<b>PQ</b>		Georgia	GA	Oklahoma	OK
Saskatchewan	SK		Hawaii	HI	Oregon	OR
Yukon Territory	YT		Idaho	ID	Pennsylvania	PA
			Illinois	IL	Rhode Island	RI
			Indiana	IN	South Carolina	SC
			Iowa	IA	South Dakota	SD
			Kansas	KS	Tennessee	TN
			Kentucky	KY	Texas	TX
			Louisiana	LA	Utah	UT
			Maine	ME	Vermont	VT
			Maryland	MD	Virginia	VA
			Massachusetts	MA	Washington	WA
			Michigan	MI	West Virginia	WV
			Minnesota	MN	Wisconsin	WI
			Mississippi	MS	Wyoming	WY
			Missouri	MO		
MEXICO						
	MX					
ISLANDS			TRA*	ISO2		
American Samoa****	AS	AS				
Anguilla	AI	AI				
Antigua	<b>AN</b>	AG				
Bahamas	<b>BA</b>	BS				
Barbados	<b>BD</b>	BB				
Bermuda	BM	BM				
British Virgin Islands	<b>BV</b>	VG				
Cayman Islands	<b>CQ</b>	KY				
CNMI (N. Marianas)***	<b>NN</b>	MP				
Dominica	DM	DM				
Dominican Republic	<b>DR</b>	DO				
Grenada	<b>GN</b>	GD				
Guam	GU	GU				
Jamaica	JM	JM				
Montserrat	<b>RT</b>	MS				
Puerto Rico	PR	PR				
St. Kitts & Nevis	<b>KA</b>	KN				
St. Lucia	<b>SA</b>	LC				
St. Maarten	<b>SF</b>	SX				
St. Vincent	<b>ZF</b>	VC				
Trinidad & Tobago	<b>TR</b>	TT				
Turks & Caicos	TC	TC				
US Virgin Islands	VI	VI				

\* Applies to the list of codes used in TRA products but may be qualified further in field definitions and/or the following notes.

\*\* Canada Post codes are: Newfoundland/Labrador, NL; Nunavut Territory, NU; Quebec, QC (Canada Post abbreviations are used for some contact addresses). Canada Post codes also currently correlate to ISO 3166-2 codes.

\*\*\* USPS code is MP.

\*\*\*\* AS is the USPS code; AM is the COMMON LANGUAGE code (used for CLLIs only).

Note: For "Islands", their ISO2 value is noted above for reference.

Note: Codes are based on COMMON LANGUAGE assignments and may not correlate to other sources (e.g. postal, ISO2, etc.).

Note: Mexico pertains only to data in the TPM™ Data Source.